

当科筆頭著者論文

1. Masumoto A, Kubo S, Ohya M, Maruo T, Kadota K. MitraClip Therapy for Dynamic Mitral Regurgitation With Repetitive Heart Failure Exacerbation. *JACC Cardiovasc Interv.* 2019 Dec 23;12(24):e215-e217.
2. Miura K, Shimada T, Ohya M, Murai R, Amano H, Kubo S, Tada T, Tanaka H, Fuku Y, Goto T, Kadota K. Long-Term Incidence and Details of Bleeding Events After Everolimus-Eluting Stent Implantation -7-8-Year Outcomes. *Circ J.* 2019 Oct 25;83(11):2242-2249.
3. Hata R, Kubo S, Tsuneyoshi H, Shimamoto T, Kuwayama A, Ohya M, Shimada T, Miura K, Amano H, Otsuru S, Habara S, Tada T, Tanaka H, Fuku Y, Goto T, Komiya T, Kadota K. Long-term outcomes of three-vessel coronary artery disease after coronary revascularization by percutaneous coronary intervention using second-generation drug-eluting stents versus coronary artery bypass graft surgery. *Cardiovasc Interv Ther.* 2020 Apr;35(2):194-202.
4. Fuku Y, Kadota K, Toyofuku M, Morimoto T, Ohya M, Higami H, Yamaji K, Muranishi H, Yamaji Y, Nishida K, Furukawa D, Tada T, Ko E, Ando K, Sakamoto H, Tamura T, Kawai K, Kimura T; AOI LMCA Stenting Registry Investigators. Long-Term Outcomes of Drug-Eluting Stent Implantation After Rotational Atherectomy for Left Main Coronary Artery Bifurcation Lesions. *Am J Cardiol.* 2019 Jun 1;123(11):1796-1805.
5. Kubo S, Yamaji K, Inohara T, Kohsaka S, Tanaka H, Ishii H, Uemura S, Amano T, Nakamura M, Kadota K. In-Hospital Outcomes After Percutaneous Coronary Intervention for Acute Coronary Syndrome With Cardiogenic Shock (from a Japanese Nationwide Registry [J-PCI Registry]).*Am J Cardiol.* 2019 May 15;123(10):1595-1601.

6. Sabbah M, Tada T, Kadota K, Kubo S, Otsuru S, Hasegawa D, Habara S, Tanaka H, Fuku Y, Goto T. Clinical and angiographic outcomes of true vs. false lumen stenting of coronary chronic total occlusions: Insights from intravascular ultrasound. *Catheter Cardiovasc Interv.* 2019 Feb 15;93(3):E120-E129.
7. Matsuura H, Ohya M. Coronary-Artery Occlusion from Kawasaki's Disease. *N Engl J Med.* 2018 Dec 20;379(25):e42.
8. Ikuta S, Kubo S, Kuwayama A, Kadota K. Alcohol septal ablation using myocardial contrast echocardiography on a patient with iodine contrast allergy. *Eur Heart J Case Rep.* 2018 Mar 21;2(2):yty010.
9. Kubo S, Kawase Y, Hata R, Maruo T, Tada T, Kadota K. Dynamic severe mitral regurgitation on hospital arrival as prognostic predictor in patients hospitalized for acute decompensated heart failure. *Int J Cardiol.* 2018 Dec 15;273:177-182.
10. Miura K, Tada T, Habara S, Kuwayama A, Shimada T, Ohya M, Murai R, Amano H, Kubo S, Otsuru S, Tanaka H, Fuku Y, Goto T, Kadota K. Optical Coherence Tomography Predictors for Recurrent Restenosis After Paclitaxel-Coated Balloon Angioplasty for Drug-Eluting Stent Restenosis. *Circ J.* 2018 Oct 25;82(11):2820-2828.
11. Tanaka H, Ohya M, Kubo S, Miura K, Otsuru S, Habara S, Tada T, Fuku Y, Goto T, Kadota K. Impact of retrograde approach on long-term clinical outcomes of patients undergoing coronary chronic total occlusion interventions. *EuroIntervention.* 2018 Dec 7;14(11):e1183-e1191.
12. Kawase Y, Hata R, Tada T, Katoh H, Kadota K. Effects of Carperitide on Degree of Pulmonary Congestion in Treatment of Acute Heart Failure. *Circ J.* 2018 Jul 25;82(8):2079-2088.

- 13.Ohya M, Shimada T, Osakada K, Kuwayama A, Miura K, Murai R, Amano H, Kubo S, Otsuru S, Habara S, Tada T, Tanaka H, Fuku Y, Katoh H, Goto T, Kadota K. In-Hospital Bleeding and Utility of a Maintenance Dose of Prasugrel 2.5 mg in High Bleeding Risk Patients With Acute Coronary Syndrome. *Circ J.* 2018 Jun 25;82(7):1874-1883.
- 14.Shimada T, Goto T, Kubo S, Habara S, Tanaka H, Kadota K. Calcified Nodules Projecting into the Popliteal Artery Successfully Treated Through the Use of Myocardial Biopsy Forceps. *Int Heart J.* 2018 May 30;59(3):660-663.
- 15.Ohya M, Morimoto T, Kubo S, Habara S, Kuwayama A, Miura K, Shimada T, Amano H, Otsuru S, Tada T, Tanaka H, Fuku Y, Goto T, Kadota K. Two-Year Outcomes and Predictors of Target Lesion Revascularization for Non-Left Main Coronary Bifurcation Lesions Following Two-Stent Strategy With 2nd-Generation Drug-Eluting Stents. *Circ J.* 2018 Feb 23;82(3):798-806.
- 16.Shimada T, Kadota K, Eguchi H, Osakada K, Kuwayama A, Ohya M, Miura K, Amano H, Kubo S, Ozaki M, Hyodo Y, Yoshino M, Miyake K, Kawase Y, Ohashi N, Otsuru S, Tasaka H, Habara S, Tada T, Tanaka H, Maruo T, Fuku Y, Katoh H, Fujii S, Goto T, Mitsudo K. Relationship between n-3 Polyunsaturated Fatty Acids and Extent of Vessel Disease in Patients with ST Elevation Myocardial Infarction. *Int Heart J.* 2017 Dec 12;58(6):868-873.
- 17.Sabbah M, Kadota K, Kubo S, Hyodo Y, Otsuru S, Hasegawa D, Tada T, Habara S, Tanaka H, Fuku Y, Goto T. Clinical and angiographic outcomes of axial stent deformations in unrestricted real world patient population. *J Interv Cardiol.* 2017 Dec;30(6):550-557.
- 18.Fuku Y, Kadota K, Amano H, Kubo S, Otsuru S, Habara S, Tada T, Tanaka H, Goto T. Impact of dual antiplatelet therapy beyond 1 year on clinical

- outcomes of patients with stent fracture or peri-stent contrast staining after sirolimus-eluting stent implantation. *Circ J.* 2017 Aug 31. doi: 10.1253/circj.CJ-17-0477.
19. Kubo S, Ohya M, Kuwayama A, Shimada T, Miura K, Amano H, Otsuru S, Habara S, Tada T, Tanaka H, Fuku Y, Goto T, Kadota K. Very long-term serial luminal changes after sirolimus-eluting stent implantation and progression process of very late stent failure. *Cardiovasc Revasc Med.* 2017 Jul 4. pii: S1553-8389(17)30229-4. Doi
20. Kubo S, Fuku Y, Shimamoto T, Kuwayama A, Ohya M, Amano H, Maruo T, Goto T, Komiya T, Kadota K. Vascular injury caused by retrieval of ruptured and detached balloon valvuloplasty catheter during transcatheter aortic valve replacement. *JACC Cardiovasc Interv.* 2017;10:1593-1595
21. Kawase Y, Taniguchi T, Morimoto T, Kadota K, Iwasaki K, Kuwayama A, Ohya M, Shimada T, Amano H, Maruo T, Fuku Y, Izumi C, Kitai T, Saito N, Minamino-Muta E, Kato T, Inada T, Inoko M, Ishii K, Komiya T, Hanyu M, Minatoya K, Kimura T. Severe aortic stenosis in dialysis patients. *J Am Heart Assoc.* 2017 Jul 14;6(7). pii: e004961. doi: 10.1161/JAHA.116.004961.
22. Hata R, Oka N, Kubo S, Kuwayama A, Ohya M, Shimada T, Miura K, Amano H, Hyodo Y, Otsuru S, Habara S, Tada T, Tanaka H, Fuku Y, Goto T, Kadota K. Impact of stent type and presence of vasospastic angina on long-term prognosis. *Circ J.* 2017 Jun 28. doi: 10.1253/circj.CJ-17-0298.
23. Miura K, Tada T, Kuwayama A, Shimada T, Ohya M, Amano H, Kubo S, Hyodo Y, Otsuru S, Habara S, Tanaka H, Fuku Y, Goto T, Kadota K. Stent fracture and peri-stent contrast staining after everolimus-eluting stent implantation- 5-year outcomes. *Circ J.* 2017 Jun 13. doi: 10.1253/circj.CJ-17-0236.

24. Kubo S, Ohya M, Kuwayama A, Shimada T, Miura K, Amano H, Hyodo Y, Otsuru S, Habara S, Tada T, Tanaka H, Fuku Y, Goto T, Kadota K. Difference in clinical presentations and related angiographic findings among early, late, and very late sirolimus-eluting stent failures requiring target lesion revascularization. *Int J Cardiol.* 2017;243:116-120
25. Kubo S, Fuku Y, Shimamoto T, Goto T, Kadota K. Leaflet protrusion into left main coronary artery detected by intravascular ultrasound after transcatheter aortic valve implantation with sapien 3. *Eur Heart J Cardiovasc Imaging.* 2017;18:608
26. Ohya M, Kubo S, Kuwayama A, Miura K, Shimada T, Amano H, Hyodo Y, Otsuru S, Habara S, Tada T, Tanaka H, Fuku Y, Katoh H, Goto T, Kadota K. Long-term (8-10 years) outcomes after biodegradable polymer-coated biolimus-eluting stent implantation. *Heart.* 2017;103:1002-1008
27. Habara S, Kadota K, Kuwayama A, Shimada T, Ohya M, Miura K, Amano H, Kubo S, Hyodo Y, Otsuru S, Tada T, Tanaka H, Fuku Y, Goto T. Late restenosis after both first-generation and second-generation drug-eluting stent implantations occurs in patients with drug-eluting stent restenosis. *Circ Cardiovasc Interv.* 2016 Dec;9(12). pii: e004449.
28. Miura K, Kadota K, Habara S, Shimada T, Ohya M, Amano H, Kubo S, Hyodo Y, Otsuru S, Tada T, Tanaka H, Fuku Y, Goto T. Five-year outcomes after paclitaxel-coated balloon angioplasty for drug-eluting stent restenosis. *Am J Cardiol.* 2017;119:365-371
29. Ohya M, Kadota K, Toyofuku M, Morimoto T, Higami H, Fuku Y, Yamaji K, Muranishi H, Yamaji Y, Nishida K, Furukawa D, Tada T, Ko E, Ando K, Sakamoto H, Tamura T, Kawai K, Kimura T. Long-term outcomes after stent implantation for left main coronary artery (from the multicenter

- assessing optimal percutaneous coronary intervention for left main coronary artery stenting registry). Am J Cardiol. 2017;119:355-364
30. Ohya M, Kadota K, Sotomi Y, Kozuma K, Tanabe K, Uematsu M, Kawasaki T, Morino Y, Tobaru T, Nakao K, Tachibana K, Kishi K, Shibata Y, Ying S, Kusano H, Stone GW, Popma JJ, Onuma Y, Serruys PW, Kimura T. Impact of lesion calcification on angiographic outcomes after absorb everolimus-eluting bioresorbable vascular scaffold implantation: An observation from the absorb japan trial. EuroIntervention. 2017;12:1738-1746
31. Hata R, Kubo S, Tada T, Kadota K. Intimal sarcoma diagnosed by aspiration of in-stent thrombus during percutaneous coronary intervention. Eur Heart J. 2017;38:1613
32. Tada T, Kadota K. [percutaneous cardiopulmonary support (pcps)]. Nihon Rinsho. 2016;74 Suppl 4 Pt 1:602-606
33. Shimada T, Kadota K, Kubo S, Habara S, Mitsudo K. Coronary intramural hematoma presenting as acute coronary syndrome. Intern Med. 2016;55:2025-2029
34. Ohya M, Kadota K, Kubo S, Tada T, Habara S, Shimada T, Amano H, Izawa Y, Hyodo Y, Otsuru S, Hasegawa D, Tanaka H, Fuku Y, Goto T, Mitsudo K. Incidence, predictive factors, and clinical impact of stent recoil in stent fracture lesion after drug-eluting stent implantation. Int J Cardiol. 2016 Mar 25;214:123-129.
35. Miura K, Kadota K, Habara S, Miyawaki H, Shimada T, Ohya M, Amano H, Izawa Y, Hyodo Y, Otsuru S, Hasegawa D, Tada T, Tanaka H, Fuku Y, Goto T, Mitsudo K. Ten-year clinical outcomes after sirolimus-eluting stent implantation: Impact of an in-stent restenosis target lesion. Am Heart J. 2016 May;175:47-55.

36. Habara S, Kadota K, Kanazawa T, Ichinohe T, Kubo S, Hyodo Y, Otsuru S, Hasegawa D, Tada T, Tanaka H, Fuku Y, Goto T, Mitsudo K. Paclitaxel-coated balloon catheter compared with drug-eluting stent for drug-eluting stent restenosis in routine clinical practice. *EuroIntervention*. 2016;11(10):1098-105.
37. Kawase Y, Kadota K, Tada T, Hata R, Iwasaki K, Maruo T, Katoh H, Mitsudo K. Predictors of Worsening Renal Function in Patients With Acute Decompensated Heart Failure Treated by Low-Dose Carperitide. *Circ J*. 2016 Jan 25;80(2):418-25.
38. Tanaka H, Morino Y, Abe M, Kimura T, Hayashi Y, Muramatsu T, Ochiai M, Noguchi Y, Kato K, Shibata Y, Hiasa Y, Doi O, Yamashita T, Morimoto T, Hinohara T, Fujii T, Mitsudo K. Impact of J-CTO score on procedural outcome and target lesion revascularisation after percutaneous coronary intervention for chronic total occlusion: a substudy of the J-CTO Registry (Multicentre CTO Registry in Japan). *EuroIntervention*. 2016 Jan 22;11(9):981-8.
39. Ohya M, Kadota K, Tada T, Habara S, Shimada T, Amano H, Izawa Y, Hyodo Y, Miyake K, Otsuru S, Hasegawa D, Tanaka H, Maruo T, Katoh H, Fuku Y, Goto T, Mitsudo K. Stent Fracture After Sirolimus-Eluting Stent Implantation: 8-Year Clinical Outcomes. *Circ Cardiovasc Interv*. 2015;8(8):e002664.
40. Habara S, Kadota K, Shimada T, Ohya M, Amano H, Izawa Y, Kubo S, Hyodo Y, Otsuru S, Hasegawa D, Tada T, Tanaka H, Fuku Y, Goto T, Mitsudo K. Late Restenosis After Paclitaxel-Coated Balloon Angioplasty Occurs in Patients With Drug-Eluting Stent Restenosis. *J Am Coll Cardiol*. 2015;66(1):14-22.

41. Tada T, Kadota K, Hosogi S, Miyake K, Ohya M, Amano H, Izawa Y, Kanazawa T, Kubo S, Ichinohe T, Hyoudou Y, Hayakawa Y, Sabbah MM, Otsuru S, Hasegawa D, Habara S, Tanaka H, Fuku Y, Katoh H, Goto T, Mitsudo K. Association between tissue characteristics assessed with optical coherence tomography and mid-term results after percutaneous coronary intervention for in-stent restenosis lesions: a comparison between balloon angioplasty, paclitaxel-coated balloon dilatation, and drug-eluting stent implantation. *Eur Heart J Cardiovasc Imaging*. 2015;16(10):1101-11.
42. Kanazawa T, Kadota K, Mitsudo K. Successful rescue of stuck rotablator burr entrapment using a Kiwami straight catheter. *Catheter Cardiovasc Interv*. 2015;86(5):942-5.
43. Kubo S, Kadota K, Otsuru S, Hasegawa D, Habara S, Tada T, Tanaka H, Fuku Y, Katoh H, Goto T, Mitsudo K. Everolimus-eluting stent implantation versus repeat paclitaxel-coated balloon angioplasty for recurrent in-stent restenosis lesion caused by paclitaxel-coated balloon failure. *EuroIntervention*. 2015;10(9):e1-8.
44. Maruo T, Komiya T, Shimamoto T, Kadota K, Mitsudo K. Spontaneous papillary muscle rupture with localized endocarditis. *Eur Heart J Cardiovasc Imaging*. 2015;16(1):115.
45. Kubo S, Kadota K, Sabbah M, Otsuru S, Hasegawa D, Habara S, Tada T, Tanaka H, Fuku Y, Katoh H, Goto T, Mitsudo K. Clinical and angiographic outcomes after drug-eluting stent implantation with triple-kissing-balloon technique for left main trifurcation lesion: comparison of single-stent and multi-stent procedures. *J Invasive Cardiol*. 2014;26(11):571-8.
46. Kawase Y, Kadota K, Nakamura M, Tada T, Hata R, Miyawaki H, Kubo S, Habara S, Maruo T, Katoh H, Mitsudo K. Low systolic blood pressure on admission predicts mortality in patients with acute decompensated heart

failure due to moderate to severe aortic stenosis. Circ J.

2014;78(10):2455-9.

47. Fuku Y, Goto T, Komiya T, Sakaguchi G, Shimamoto T, Maruo T, Hasegawa D, Otsuru S, Saito N, Hyodo Y, Ueno G, Kadota K, Mitsudo K. Thirty-day outcome of transcatheter aortic valve implantation with the edwards SAPIEN XT prosthesis via the transiliofemoral approach. Circ J. 2014;78(6):1357-63.
48. Kubo S, Kadota K, Ichinohe T, Miyake K, Hyodo Y, Otsuru S, Hasegawa D, Shigemoto Y, Habara S, Tada T, Tanaka H, Fuku Y, Katoh H, Fujii S, Goto T, Mitsudo K. Comparison of long-term outcome after percutaneous coronary intervention for stent thrombosis between early, late, and very late stent thrombosis. Circ J. 2014;78(1):101-9.
49. Tada T, Kadota K, Hosogi S, Miyake K, Amano H, Nakamura M, Izawa Y, Kubo S, Ichinohe T, Hyoudou Y, Eguchi H, Hayakawa Y, Otsuru S, Hasegawa D, Shigemoto Y, Habara S, Tanaka H, Fuku Y, Kato H, Goto T, Mitsudo K. Association between tissue characteristics evaluated with optical coherence tomography and mid-term results after paclitaxel-coated balloon dilatation for in-stent restenosis lesions: a comparison with plain old balloon angioplasty. Eur Heart J Cardiovasc Imaging. 2014;15(3):307-15.
50. Kubo S, Kadota K, Otsuru S, Hasegawa D, Shigemoto Y, Habara S, Tada T, Tanaka H, Fuku Y, Katoh H, Goto T, Mitsudo K. Optimal treatment of recurrent restenosis lesions after drug-eluting stent implantation for in-stent restenosis lesions. EuroIntervention. 2013;9(7):788-96.
51. Habara S, Iwabuchi M, Inoue N, Nakamura S, Asano R, Nanto S, Hayashi Y, Shiode N, Saito S, Ikari Y, Kimura T, Hosokawa J, Nakamura M, Kotani J, Kozuma K, Mitsudo K. A multicenter randomized comparison of paclitaxel-coated balloon catheter with conventional balloon angioplasty in patients

- with bare-metal stent restenosis and drug-eluting stent restenosis. *Am Heart J.* 2013 Sep;166(3):527-33.
52. Kubo S, Kadota K, Shimada T, Ozaki M, Ichinohe T, Eguchi H, Miyake K, Hyodo Y, Saito N, Otsuji H, Otsuru S, Hasegawa D, Shigemoto Y, Habara S, Tada T, Tanaka H, Fuku Y, Katoh H, Yamamoto H, Fujii S, Goto T, Mitsudo K. Seven-year clinical outcomes of unprotected left main coronary artery stenting with drug-eluting stent and bare-metal stent. *Circ J.* 2013;77(10):2497-504.
53. Kubo S, Kadota K, Ozaki M, Ichinohe T, Eguchi H, Miyake K, Hyodo Y, Saito N, Otsuji H, Otsuru S, Hasegawa D, Shigemoto Y, Habara S, Tada T, Tanaka H, Fuku Y, Katoh H, Yamamoto H, Fujii S, Goto T, Mitsudo K. Difference in clinical and angiographic characteristics of very late stent thrombosis between drug-eluting and bare-metal stent implantations. *Circ J.* 2013;77(6):1453-60.
54. Morita J, Oka N, Kadota K, Goto T, Fujii S, Yamamoto H, Katoh H, Fuku Y, Hirono A, Maruo T, Tanaka H, Habara S, Ichinohe T, Notohara K, Mitsudo K. Giant-cell myocarditis complicated by heparin-induced thrombocytopenia. *Intern Med.* 2012;51(22):3139-43.
55. Tada T, Kadota K, Hosogi S, Kubo S, Ozaki M, Yoshino M, Miyake K, Eguchi H, Ohashi N, Hayakawa Y, Saito N, Otsuru S, Hasegawa D, Shigemoto Y, Habara S, Imai M, Tanaka H, Fuku Y, Oka N, Kato H, Yamamoto H, Fujii S, Goto T, Mitsudo K. Optical coherence tomography findings in lesions after sirolimus-eluting stent implantation with peri-stent contrast staining. *Circ Cardiovasc Interv.* 2012;5(5):649-56.
56. Kadota K, Muramatsu T, Iwabuchi M, Saito S, Hayashi Y, Ikari Y, Nanto S, Fujii K, Inoue N, Namiki A, Kimura T, Mitsudo K. Randomized comparison of the Nobori biolimus A9-eluting stent with the sirolimus-eluting stent in

patients with stenosis in native coronary arteries. *Catheter Cardiovasc Interv.* 2012;80(5):789-96.

57. Imai M, Kadota K, Goto T, Fujii S, Yamamoto H, Fuku Y, Hosogi S, Hirono A, Tanaka H, Tada T, Morimoto T, Shiomi H, Kozuma K, Inoue K, Suzuki N, Kimura T, Mitsudo K. Incidence, risk factors, and clinical sequelae of angiographic peri-stent contrast staining after sirolimus-eluting stent implantation. *Circulation.* 2011;123(21):2382-91.
58. Habara S, Mitsudo K, Kadota K, Goto T, Fujii S, Yamamoto H, Katoh H, Oka N, Fuku Y, Hosogi S, Hirono A, Maruo T, Tanaka H, Shigemoto Y, Hasegawa D, Tasaka H, Kusunose M, Otsuru S, Okamoto Y, Saito N, Tsujimoto Y, Eguchi H, Miyake K, Yoshino M. Effectiveness of paclitaxel-eluting balloon catheter in patients with sirolimus-eluting stent restenosis. *JACC Cardiovasc Interv.* 2011;4(2):149-54.
59. Kadota K, Mitsudo K. Percutaneous coronary intervention with drug-eluting stent for unprotected left main trunk disease: safety and efficacy compared with bare metal stent. - Which coronary stent should be used for the left main trunk disease? BMS or DES? (DES side)-. *Circ J.* 2011;75(5):1250-4.
60. Habara S, Mitsudo K, Kadota K, Goto T, Fujii S, Yamamoto H, Katoh H, Oka N, Fuku Y, Hosogi S, Hirono A, Maruo T, Tanaka H, Shigemoto Y, Hasegawa D, Tasaka H, Kusunose M, Otsuru S, Okamoto Y, Saito N, Tsujimoto Y. Serial clinical and angiographic follow-up after phosphorylcholine-coated stent implantation. *Int Heart J.* 2011;52(2):88-91.
61. Mitsudo K. [History of coronary intervention in Japan]. *Nihon Rinsho.* 2011 Feb;69(2):197-206. Review. Japanese.

62. Kadota K, Mitsudou K. [Percutaneous coronary intervention with drug eluting stent]. Nihon Rinsho. 2011 Sep;69 Suppl 7:285-9. Review. Japanese.
63. Kadota K, Mitsudo K. [Coronary revascularization for chronic myocardial infarction]. Nihon Rinsho. 2011 Nov;69 Suppl 9:257-61. Review. Japanese.
64. Mitsudo K, Yamashita T, Asakura Y, Muramatsu T, Doi O, Shibata Y, Morino Y. Recanalization strategy for chronic total occlusions with tapered and stiff-tip guidewire. The results of CTO new techniQUE for STandard procedure (CONQUEST) trial. J Invasive Cardiol. 2008 Nov;20(11):571-7.
65. Habara S, Mitsudo K, Goto T, Kadota K, Fujii S, Yamamoto H, Kato H, Takenaka S, Fuku Y, Hosogi S, Hirono A, Yamamoto K, Tanaka H, Hasegawa D, Nakamura Y, Tasaka H, Otsuru S, Okamoto Y, Yamada C, Miyamoto M, Inoue K. The impact of lesion length and vessel size on outcomes after sirolimus-eluting stent implantation for in-stent restenosis. Heart. 2008 Sep;94(9):1162-5. Epub 2007 Nov 21.
66. Mitsudo K. [PCI: state of the art]. Nihon Geka Gakkai Zasshi. 2006 Jan;107(1):3-8.
67. Mitsudo K. The how and why of... Chronic Total Occlusions. Part One: How to treat CTOs. EuroIntervention. 2006 Nov;2(3):375-81.
68. Takenaka S, Mitsudo K, Inoue K, Goto T, Kadota K, Fujii S, Yamamoto H, Fuku Y, Hirono A, Tanaka H, Taba M, Ikeda A, Kojima Y, Maekawa J, Maekawa S, Takahashi N, Saeki H, Nakamura Y, Oonishi T, Ueda N. Successful treatment of primary cardiac lymphoma with atrioventricular nodal block. Int Heart J. 2005;46(5):927-31.