

2022年誌上発表

総合内科

Systemic vasculitis following SARS-CoV-2 mRNA vaccination demonstrated on FDG PET/CT

Nakatani K¹, Sakata E¹, Fujihara M,
Mizukawa K², Koyama T¹
(¹Department of Diagnostic Radiology, ²Department of Endocrinology and Rheumatology)

Clin Nucl Med 2022;47(5):e403-e405.

消化器内科

Epidemiological review of gastroesophageal junction adenocarcinoma in Asian countries

Manabe N¹, Matsueda K, et al.
(¹Kawasaki Medical School)

Digestion 2022;103(1):29-36.

Clinicopathological characteristics of superficial Barrett's adenocarcinoma in a Japanese population: a retrospective, multicenter study

Hamada K¹, Mouri H, Mizuno M, et al.
(¹Okayama University Graduate School of Medicine)

Intern Med 2022;61(8):1115-1123.

Gastroduodenal intussusception due to vonopran-induced gastric polyps

Nishimura N, Mizuno M, Matsueda K

Intern Med 2022;61(8):1305-1306.

Mycophenolate mofetil for immune checkpoint inhibitor-related hepatotoxicity relapsing during dose reduction of corticosteroid: a report of two cases and literature review

Ueno M, Takabatake H, Hata A, Kayahara T,
Morimoto Y, Notohara K¹, Mizuno M
(¹Department of Anatomic Pathology)

Cancer Rep (Hoboken) 2022;5(9):e1624.

Performance of perioperative antibiotics against post-endoscopic submucosal dissection coagulation syndrome: a multicenter randomized controlled trial

Shichijo S¹, Shimodate Y, et al.
(¹Osaka International Cancer Institute)

Gastrointest Endosc 2022;95(2):349-359.

A case of enterochromaffin-like cell neuroendocrine tumor associated with parietal cell dysfunction which was successfully treated with somatostatin analogue

Hirai R¹, Itakura J², Mizuno M, et al.
(¹Okayama University Hospital, ²Department of Anatomic Pathology)

Clin J Gastroenterol 2022;15(2):363-367.

Prospective multicenter study of the efficacy and safety of cold forceps polypectomy for ≤ 6-mm non-ampullary duodenal low-grade adenomas

Kanzaki H¹, Matsueda K, et al.
(¹Okayama University Hospital)

Endosc Int Open 2022;10(6):E712-E718.

Nonrecurrence rate of underwater EMR for ≤20-mm nonampullary duodenal adenomas: a multicenter prospective study (D-UEMR Study)

Yamasaki Y¹, Matsueda K, et al.
(¹Okayama University Hospital)

Clin Gastroenterol Hepatol 2022;20(5):1010-1018.e3.

Environmental factors, medical and family history, and comorbidities associated with primary biliary cholangitis in Japan: a multicenter case-control study

Matsumoto K¹, Ueno M, Morimoto Y, et al.
(¹Teikyo University School of Medicine)

J Gastroenterol 2022;57(1):19-29.

Bilateral versus bilateral with tri-segmental endoscopic drainage using metal stents for high-grade malignant hilar biliary obstructions: a multicenter, randomized controlled trial: BRAVE study (BRAVE study)

Matsumoto K¹, Ishida E, et al.

(¹Okayama University Hospital)

Medicine (Baltimore) 2022;101(40):e30857.

Endoscopic features of oxyntic gland adenoma and gastric adenocarcinoma of the fundic gland type differ between patients with and without Helicobacter pylori infection: a retrospective observational study

Iwamuro M¹, Matsueda K, et al.

(¹Okayama University Graduate School of Medicine)

BMC Gastroenterol 2022;22(1):294.

Histological and serological features of acute liver injury after SARS-CoV-2 vaccination

Codoni G¹, Ueno M, et al.

(¹Università della Svizzera Italiana)

JHEP Rep 2022;5(1):100605.

【急性膵炎をめぐる諸問題】

急性膵炎の予後（再発，慢性膵炎への移行）

上野真行，石田悦嗣，辻 喜久，水野元夫
 消化器・肝臓内科 2022;12(5):512-516.

オキサリプラチンによる肝類洞閉塞症候群 臨床像と病理像の対比

長濱俊介¹，上野真行，寺田和弘，萱原隆久，

高島弘行，守本洋一，水野元夫

(¹医師教育研修部)

肝臓 2022;63(8):372-380.

【胃癌内視鏡診断の最新ムーブメント-H.pylori陰性胃癌のすべて】

H.pylori除菌後のサーベイランスEGDをどうするか
 水野元夫ほか

消化器内視鏡 2022;34(2):219-222.

肝細胞癌に対するシスプラチン肝動注療法時の悪心・嘔吐に対する制吐療法の現況

奥山駿佑，上野真行，萱原隆久，高島弘行，

守本洋一，水野元夫

癌と化学療法 2022;49(9):951-955.

骨髄移植から18年後に発症した食道癌を早期発見し，内視鏡的に治療し得た1例

佐々木悠貴，上野真行，下立雄一，松枝和宏，

山本 博，水野元夫

Gastroenterological Endoscopy 2022;64(7):1332-1338.

顆粒球除去療法を含む集学的治療で寛解を得た小児重症潰瘍性大腸炎の1例

戸川文子，澤田真理子¹，南 征樹¹，

荻野佳代¹，松枝和宏，上田恭典²，脇 研自¹，
 新垣義夫¹ほか

(¹小児科，²血液内科)

小児内科 2022;54(5):829-835.

著明な高トリグリセリド血症により重症急性膵炎を発症したが，母児ともに救命し得た双胎妊婦の1例

福田真優¹，上野真行，中村しほり²，

村部浩之³，羽田綾子，清輔良江，石田悦嗣，
 水野元夫

(¹医師教育研修部，²産婦人科，³内分泌代謝・
 リウマチ内科)

膵臓 2022;37(2):67-73.

一目瞭然！目で診る症例

西村直之，水野元夫，松枝和宏

日本内科学会雑誌 2022;111(10):2181-2183.

除菌後10年以上以降の胃がん 変化する胃がんの様相
 水野元夫ほか

日本ヘリコバクター学会誌 2022;24(1):28-30.

感染性walled-off necrosisの上腸間膜静脈内への穿破に対し，保存的治療で救命しえた1例

上西陽介，上野真行，小山 貴¹，池田有希，

戸川文子，羽田綾子，眞野俊史，石田悦嗣，

山本 博，水野元夫ほか

(¹放射線診断科)

日本病院総合診療医学会雑誌 2022;18(1):20-27.

Cocco mina 消化器

倉敷中央病院消化器センター編著, 照林社, 2022, pp 1-208.

腫瘍内科

【膵臓の発生・生理・解剖から膵炎・膵癌の病態解明に至る最新の知見】

膵頭神経叢は膵頭部癌にとって何なのか? とくに膵頭神経叢第I部について

北川裕久¹, 橋田和樹¹, 武藤 純¹, 岡部道雄¹,
仁科慎一, 長久吉雄¹, 横田 満¹, 増井敏彦¹,
河本和幸¹, 能登原憲司²

(¹外科, ²病理診断科)

胆と膵 2022;43(8):723-730.

脳神経内科

Japanese spotted fever with post-infectious encephalitis

Wada T, Mori H, Shindo K, et al.
IDCases 2022;31:e01658.

Clinical features and pathology of respiratory failure due to inflammatory myopathy induced by immune checkpoint inhibitors

Aratake Y, Obata K, Nishimura K¹, Shindo K
(¹Department of Endocrinology and Rheumatology)

Clin Exp Rheumatol 2022;40(2):471-472.

Serial assessment of multimodality imaging in anti-leucine-rich glioma-inactivated 1 antibody encephalitis: a case report

Wada T, Mori H, Shindo K
eNeurologicalSci 2022;29:100426.

Hyperperfusion in the cerebellum lobule VIIb in patients with epileptic seizures

Sato K¹, Obata K, et al.

(¹National Hospital Organization Utano

National Hospital)

BMC Neurol 2022;22(1):352.

Short-term aneurysm formation and rupture due to septic embolism diagnosed with a thrombus retrieved from another occluded artery

Nukata R, Ikeda H¹, Akaike N¹, Kurosaki Y¹,
Fujiwara T¹, Uezato M¹, Kinoshita M¹,
Shindo K, Chin M¹

(¹Department of Neurosurgery)

Surg Neurol Int 2022;13:474.

呼吸器内科

An algorithm for PCT-guided antimicrobial therapy: a consensus statement by Japanese experts

Ito A et al.

Clin Chem Lab Med 2022;61(3):407-411.

Hypothyroidism as an immune-related adverse event caused by atezolizumab in a patient with muscle spasms: a case report

Kawataki M, Nakanishi Y, Yokoyama T,
Ishida T

Respir Med Case Rep 2022;36:101585.

Air embolism after transbronchial lung cryobiopsy: a case report

Kawataki M, Nakanishi Y, Niwa T, Ishida T
Respirol Case Rep 2022;10(10):e01038.

Addition of baricitinib to COVID-19 treatment does not increase bacterial infection compared to standard therapy: a single-center retrospective study

Kobe H, Ito A, Nakanishi Y, Kuriyama A¹,
Ishida T, et al.

(¹Emergency and Critical Care Center)

Intern Med 2022;61(15):2273-2279.

A 73-year-old man with refractory hemoptysis

Kobe H, Momose M, Miyazaki Y,

Nishihara C¹, Yoshida T², Ishida T

(¹Department of Anatomic Pathology, ²Department of Endocrinology and Rheumatology)

Chest 2022;162(4):e165-e168.

Drug-related pneumonitis induced by osimertinib as first-line treatment for epidermal growth factor receptor mutation-positive non-small cell lung cancer: a real-world setting

Sato Y¹, Kobe H, et al.

(¹Kobe City Medical Center General Hospital)

Chest 2022;162(5):1188-1198.

National survey of physicians in Japan regarding their use of diagnostic tests for legionellosis

Kinjo T¹, Ito A, et al.

(¹University of the Ryukyus)

J Infect Chemother 2022;28(2):129-134.

Inflammatory biomarkers are not useful for predicting prognosis in nursing and healthcare-associated pneumonia: a prospective, cohort study

Ito A, Ishida T, Nakanishi Y, Yamazaki A, Washio Y

J Infect Chemother 2022;28(5):623-630.

Clinical manifestations of hospitalized influenza patients without risk factors: a prospective multicenter cohort study in Japan via internet surveillance

Ishida T et al.

J Infect Chemother 2022;28(7):853-858.

Prospective multicenter survey for nursing and healthcare-associated pneumonia in Japan

Imamura Y¹, Ishida T, et al.

(¹Nagasaki University Hospital)

J Infect Chemother 2022;28(8):1125-1130.

Home high-flow nasal cannula oxygen therapy for stable hypercapnic COPD: a randomized clinical trial

Nagata K¹, Tokioka F, Ishida T, et al.

(¹Kobe City Medical Center General Hospital)

Am J Respir Crit Care Med 2022;206(11):1326-1335.

First-line nivolumab + ipilimumab in advanced NSCLC: CheckMate 227 subpopulation analyses in Asian patients

O'Byrne KJ¹, Yokoyama T, et al.

(¹Princess Alexandra Hospital and

Queensland University of Technology)

ESMO Open 2022;7(1):100394.

A randomized phase II study comparing nivolumab with carboplatin-pemetrexed for EGFR-mutated NSCLC with resistance to EGFR tyrosine Kinase inhibitors (WJOG8515L)

Hayashi H¹, Fukuda Y, et al.

(¹Kindai University)

Clin Cancer Res 2022;28(5):893-902.

Alternating therapy with osimertinib and afatinib for treatment-naïve patients with EGFR-mutated advanced non-small cell lung cancer: a single-group, open-label phase 2 trial (WJOG10818L)

Hayashi H¹, Yokoyama T, et al.

(¹Kindai University)

Lung Cancer 2022;168:38-45.

Prospective multicenter cohort study of durvalumab for patients with unresectable stage III non-small cell lung cancer and grade 1 radiation pneumonitis

Sugimoto T¹, Fukuda Y, et al.

(¹Wakayama Medical University)

Lung Cancer 2022;171:3-8.

Histologic transformation of epidermal growth factor receptor-mutated lung cancer

Fujimoto D¹, Yokoyama T, et al.

(¹Wakayama Medical University)

Eur J Cancer 2022;166:41-50.

A new risk-assessment tool for venous thromboembolism in advanced lung cancer: a prospective, observational study

Tsubata Y¹, Yokoyama T, et al.
(¹Shimane University)

J Hematol Oncol 2022;15(1):40.

Empirical antibiotic usage and bacterial superinfections in patients with COVID-19 in Japan: a nationwide survey by the Japanese Respiratory Society

Takazono T¹, Ishida T, et al.
(¹Nagasaki University Hospital)

Respir Investig 2022;60(1):154-157.

Efficacy of immune checkpoint inhibitor with or without chemotherapy for nonsquamous NSCLC with malignant pleural effusion: a retrospective multicenter cohort study

Kawachi H¹, Yokoyama T, Yokoe S, et al.
(¹Osaka International Cancer Institute)

JTO Clin Res Rep 2022;3(7):100355.

The tumor immune microenvironment and frameshift neoantigen load determine response to PD-L1 blockade in extensive-stage SCLC

Kanemura H¹, Fukuda Y, et al.
(¹Kindai University)

JTO Clin Res Rep 2022;3(8):100373.

Classification and regression tree for estimating predictive markers to detect T790M mutations after acquired resistance to first line EGFR-TKI: HOPE-002

Tamiya M¹, Yokoyama T, Fukuda Y, et al.
(¹Osaka International Center Institute)

Invest New Drugs 2022;40(2):361-369.

Rapidly growing locally advanced non-small cell lung cancer treated with definitive chemoradiotherapy using adaptive volumetric modulated arc therapy followed by durvalumab maintenance: a case report

nance: a case report

Sakai K¹, Fujii K¹, Hanazawa H¹, Sakai M¹,
Tsutsumi Y¹, Fukuda Y, Akaike Y²,
Notohara K², Itasaka S¹

(¹Department of Radiation Oncology, ²Department of Anatomic Pathology)

Am J Case Rep 2022;23:e934767.

Real-world treatments and clinical outcomes in advanced NSCLC without actionable mutations after introduction of immunotherapy in Japan

Nokihara H¹, Yokoyama T, et al.
(¹Tokushima University)

Cancers (Basel) 2022;14(12):2846.

The effect of pleural effusion on prognosis in patients with non-small cell lung cancer undergoing immunochemotherapy: a retrospective observational study

Nishimura T¹, Yokoyama T, et al.
(¹Okayama University Graduate School of
Medicine)

Cancers (Basel) 2022;14(24):6184.

Atezolizumab for pretreated non-small cell lung cancer with idiopathic interstitial pneumonia: final analysis of phase II AMBITIOUS study

Ikeda S¹, Yokoyama T, et al.

(¹Kanagawa Cardiovascular and Respiratory
Center)

Oncologist 2022;27(9):720-e702.

Incidence of venous thromboembolism in advanced lung cancer and efficacy and safety of direct oral anticoagulants: a multicenter, prospective, observational study (Rising-VTE/NEJ037 study)

Tsubata Y¹, Yokoyama T, et al.
(¹Shimane University)

Ther Adv Med Oncol 2022;14:17588359221110171.

Prospective analysis of factors precluding the initiation of durvalumab from an interim analysis

of a phase II trial of S-I and cisplatin with concurrent thoracic radiotherapy followed by durvalumab for unresectable, locally advanced non-small cell lung cancer in Japan (SAMURAI study)

Tanzawa S¹, Yokoyama T, et al.

(¹Teikyo University School of Medicine)

Ther Adv Med Oncol 2022;14:17588359221116603.

A phase II study of S-I and cisplatin with concurrent thoracic radiotherapy followed by durvalumab for unresectable, locally advanced non-small-cell lung cancer in Japan (SAMURAI study): primary analysis

Tanaka H¹, Fukuda Y, et al.

(¹Hirosaki University Graduate School of Medicine)

Ther Adv Med Oncol 2022;14:17588359221142786.

Brigatinib in Japanese patients with tyrosine kinase inhibitor-naïve ALK-positive non-small cell lung cancer: first results from the phase 2 J-ALTA study

Sugawara S¹, Yokoyama T, et al.

(¹Sendai Kousei Hospital)

Int J Clin Oncol 2022;27(12):1828-1838.

治療法の再整理とアップデートのために 専門家による私の治療 オウム病

石田 直

日本医事新報 2022;5149:46-47.

クライオバイオプシーで診断に至った、再燃した多発血管炎性肉芽腫症の1例

本倉優美, 有田真知子, 丹羽 崇, 百瀬 匡, 中西陽祐, 福田 泰, 横山俊秀, 伊藤明広,

時岡史明, 石田 直

気管支学 2022;44(1):13-19.

重症度分類

伊藤明広

気管支拡張症Up to Date. 6. 重症度分類, 長谷川直樹ほか編, 南江堂, 2022, pp 123-127.

インフルエンザ

石田 直

日常診療に活かす 診療ガイドラインUP-TO-DATE 2022-2023. I. 感染症, 門脇孝ほか監, メディカルレビュー社, 2022, pp 24-29.

3. 市中肺炎

石田 直

感染症最新の治療2022-2024. III. 主な臓器別感染症 E.呼吸器感染症, 藤田次郎ほか編, 南江堂, 2022, pp 122-124.

15. タミフル～最もエビデンスのある抗インフルエンザ薬～ (オセルタミビルリン酸塩)

石田 直

なんで使うの? そのくすり 医師が考えるくすりの立ち位置. 抗ウイルス薬, 村川裕二ほか編, 南江堂, 2022, pp 50-53.

1. ウイルス肺炎 (COVID-19を除く)

石田 直

最新主要文献とガイドラインでみる 呼吸器内科学レビュー 2022-'23. I章 呼吸器感染症, 弦間昭彦監, 総合医学社, 2022, pp 2-8.

5類感染症-定点把握 マイコプラズマ感染症

石田 直

今日の治療指針 2022年版 私はこう治療している. 3. 感染症, 福井次矢ほか編, 医学書院, 2022, pp 218-219.

A: 成人・高齢者のインフルエンザの予防・治療

石田 直

インフルエンザ/新型コロナウイルス感染症 診療ガイド2022-23. chap. 3 予防・治療, 菅谷憲夫編, 日本医事新報社, 2022, pp 116-129.

医療・介護関連肺炎

石田 直

最新ガイドラインに基づく 呼吸器疾患 診療指針 2023-'24. 1 呼吸器感染症, 弦間昭彦編, 総合医学社, 2022, pp 91-96.

限局型・PS不良

横山俊秀

肺癌薬物療法レジメン Expert's Choice. 第1章
Expert's Choice/Chapter 1 小細胞肺癌, 倉田宝保
ほか編, メディカルレビュー社, 2022 pp 15-16.

糖尿病内科

**Circulating GPIIb/IIIa levels and microvascular
complications in patients with type 2 diabetes: a
cross-sectional study**

Kurooka N¹, Murakami K, Kamei S,Kikutsuji T², et al.

¹Okayama University Graduate School of
Medicine, ²Preventive Healthcare Plaza)

J Clin Lipidol 2022;16(2):237-245.

**Rationale, design and baseline characteristics
of the effect of canagliflozin in patients with type
2 diabetes and microalbuminuria in the Japanese
population: The CANPIONE study**

Miyamoto S¹, Kamei S, et al.¹Okayama University Hospital)

Diabetes Obes Metab 2022;24(8):1429-1438.

腎臓内科

**Infrequent use of nighttime dialysis for emer-
gency admission due to worsening heart failure
in patients on maintenance hemodialysis**

Aizawa N¹, Kawase Y², Shimada N, et al.

¹University of the Ryukyus School of Medi-
cine, ²Department of Cardiovascular Medi-
cine)

Ther Apher Dial 2022;26(1):85-93.

**血液透析 (HD) 患者における経カテーテルの大動
脈弁留置術 (TAVI) の周術期透析管理の検討**

小西智子, 島田典明, 福 康志¹, 田中 佑,
中村美咲季, 澤木 了, 生田 悠, 西川真那,
澤田真理子², 神崎資子, 福岡晃輔, 門田一繁¹,
浅野健一郎

¹循環器内科, ²小児科)

中国腎不全研究会誌 2022;30:55-56.

血液内科

**Dasatinib-based 2-step induction for adults with
Philadelphia chromosome-positive acute lympho-
blastic leukemia**

Sugiura I¹, Ueda Y, et al.¹Toyohashi Municipal Hospital)

Blood Adv 2022;6(2):624-636.

**Establishment of a predictive model for GVHD-
free, relapse-free survival after allogeneic HSCT
using ensemble learning**

Iwasaki M¹, Ueda Y, et al.¹Kyoto University)

Blood Adv 2022;6(8):2618-2627.

**Bortezomib-cyclophosphamide-dexamethasone
induction/consolidation and bortezomib mainte-
nance for transplant-eligible newly diagnosed
multiple myeloma: phase 2 multicenter trial**

Muranushi H¹, Maeda T, et al.¹Kyoto University)

Hematology 2022;27(1):239-248.

**A phase II randomized study evaluating azaciti-
dine versus conventional care regimens in newly
diagnosed elderly Japanese patients with unfavor-
able acute myeloid leukemia**

Iida H¹, Ueda Y, et al.

¹National Hospital Organization Nagoya
Medical Center)

Int J Hematol 2022;115(5):694-703.

**Diffuse ¹⁸F-fluorodeoxyglucose uptake in the
bone marrow of an elderly man with B-cell lym-
phoma**

Saito K, Notohara K¹, Sakata E², Nakatani K²,
Ueda Y

¹Department of Anatomic Pathology, ²De-
partment of Diagnostic Radiology)

Int J Hematol 2022;116(1):1-2.

Diffuse large B-cell lymphoma 18 years after bilateral lacrimal gland IgG4-related disease: case report and literature review

Matsuo T¹, Notohara K², Okada K, et al.
(¹Okayama University Graduate School of Interdisciplinary Science and Engineering in Health Systems, ²Department of Anatomic Pathology)

J Investig Med High Impact Case Rep 2022;10:23247096211067894.

Single cord blood transplantation versus HLA-haploidentical-related donor transplantation using posttransplant cyclophosphamide in patients with hematological malignancies

Wada F¹, Ueda Y, et al.
(¹Kyoto University)

Transplantation 2022;106(6):1279-1287.

Haploidentical transplantation with post-transplant cyclophosphamide versus single cord blood transplantation for myelodysplastic syndrome: a retrospective study from the Adult Myelodysplastic Syndrome Working Group of the Japanese Society for Transplantation and Cellular Therapy (JSTCT)

Konuma T¹, Ueda Y, et al.
(¹The University of Tokyo)

Am J Hematol 2022;97(12):E447-E450.

Complete bone marrow necrosis with Charcot-Leyden crystals caused by myeloid neoplasm with mutated NPM1 and TET2

Saito K, Sato T, Notohara K¹, Ueda Y, et al.
(¹Department of Anatomic Pathology)

Intern Med 2022;61(21):3265-3269.

Phase I/2 study evaluating the safety and efficacy of DSP-7888 dosing emulsion in myelodysplastic syndromes

Ueda Y et al.

Cancer Sci 2022;113(4):1377-1392.

Coexistence of HLA and KIR ligand mismatches as a risk factor for viral infection early after cord blood transplantation

Iemura T¹, Ueda Y, et al.
(¹Kyoto University)

Bone Marrow Transplant 2022;57(5):781-789.

Retrospective analysis of autologous stem cell transplantation for AL amyloidosis: a study from the multiple myeloma working group of the Japan society for hematopoietic cell transplantation

Fuchida S¹, Ueda Y, et al.
(¹Kyoto Kuramaguchi Medical Center)

Transplant Cell Ther 2022;28(2):76-82.

Diffuse large B-cell lymphoma in the course of systemic sarcoidosis: a case report and review of 30 Japanese patients with sarcoidosis-lymphoma syndrome

Matsuo T¹, Notohara K², Okada K, et al.
(¹Okayama University, ²Department of Anatomic Pathology)

J Clin Exp Hematop 2022;62(4):226-237.

Outcome of therapy-related myelodysplastic syndrome and oligoblastic acute myeloid leukemia after allogeneic hematopoietic stem cell transplantation: a propensity score matched analysis

Itonaga H¹, Ueda Y, et al.
(¹Nagasaki University Hospital)

Hematol Oncol 2022;40(4):752-762.

A phase I/II study of 10-min dosing of bendamustine hydrochloride (rapid infusion formulation) in patients with previously untreated indolent B-cell non-Hodgkin lymphoma, mantle cell lymphoma, or relapsed/refractory diffuse large B-cell lymphoma in Japan

Ishizawa K¹, Ueda Y, et al.
(¹Yamagata University Hospital)

Cancer Chemother Pharmacol 2022;90(1):83-95.

顆粒球除去療法を含む集学的治療で寛解を得た小児重症潰瘍性大腸炎の1例

戸川文子¹, 澤田真理子², 南 征樹²,
荻野佳代², 松枝和宏¹, 上田恭典¹, 脇 研自²,
新垣義夫²ほか

(¹消化器内科, ²小児科)

小児内科 2022;54(5):829-835.

実臨床, ガイドライン, 保険適用からみたわが国の血液領域のヘムアフェレシスの課題

上田恭典

日本アフェレシス学会雑誌 2022;41(3):164-169.

1) 血液検査

上田恭典

キャッスルマン病, TAFRO症候群. 7.キャッスルマン病の検査成績, 吉崎和幸ほか編, フジメディカル出版, 2022, pp 47-50.

II 輸血・細胞治療におけるアフェレシスの概要

上田恭典

学会認定・アフェレシスナース制度指定カリキュラム. II 輸血・細胞治療におけるアフェレシスの概要, 学会認定・アフェレシスナース制度カリキュラム委員会編, 一般社団法人 日本輸血・細胞治療学会, 2022, pp 5-17.

2. 末梢血幹細胞採取の実際

上田恭典

学会認定・アフェレシスナース制度指定カリキュラム. IV 末梢血幹細胞採取, 学会認定・アフェレシスナース制度カリキュラム委員会編, 一般社団法人 日本輸血・細胞治療学会, 2022, pp 33-45.

内分泌代謝・リウマチ内科

Dapsone-induced methaemoglobinaemia in relapsing polychondritis

Yoshida T, Nishimura K, Murabe H,
Yokota T

BMJ Case Rep 2022;15(9):e252431.

A 73-year-old man with refractory hemoptysis

Kobe H¹, Momose M¹, Miyazaki Y¹,
Nishihara C², Yoshida T, Ishida T¹

(¹Department of Respiratory Medicine,

²Department of Anatomic Pathology)

Chest 2022;162(4):e165-e168.

Clinical images: giant mass on the forehead in Kimura disease

Yoshida T, Nishimura K, Waki D, Tanaka N,
Murabe H, Yokota T

ACR Open Rheumatol 2022;4(7):557.

Systemic vasculitis following SARS-CoV-2 mRNA vaccination demonstrated on FDG PET/CT

Nakatani K¹, Sakata E¹, Fujihara M²,
Mizukawa K, Koyama T¹

(¹Department of Diagnostic Radiology,

²Department of General Internal Medicine)

Clin Nucl Med 2022;47(5):e403-e405.

Clinical features and pathology of respiratory failure due to inflammatory myopathy induced by immune checkpoint inhibitors

Aratake Y¹, Obata K¹, Nishimura K,
Shindo K¹

(¹Department of Neurology)

Clin Exp Rheumatol 2022;40(2):471-472.

Effects of anti-SSA antibodies on the response to methotrexate in rheumatoid arthritis: a retrospective multicenter observational study

Waki D et al.

PLoS One 2022;17(7):e0271921.

著明な高トリグリセリド血症により重症急性膵炎を発症したが, 母児ともに救命し得た双胎妊婦の一例

福田真優¹, 上野真行², 中村しほり³, 村部浩之,
羽田綾子², 清輔良江², 石田悦嗣², 水野元夫²
(¹医師教育研修部, ²消化器内科, ³産婦人科)

膵臓 2022;37(2):67-73.

小児科

Incidence of non-benign arrhythmia in neonatal intensive care unit: 18 years experience from a single center

Doi Y, Ueda K, Ogino K, Hayashi T,
Takahashi A, Waki K, Arakaki Y
J Arrhythm 2022;38(3):363-368.

Early clinical signs and treatment of Menkes disease

Fujisawa C¹, Takahashi A, et al.
(¹Teikyo University)
Mol Genet Metab Rep 2022;31:100849.

Three-year outcome following neonatal encephalopathy in a high-survival cohort

Tsuda K¹, Takahashi A, et al.
(¹Nagoya City University Graduate School of
Medical Sciences)
Sci Rep 2022;12(1):7945.

A 1-month-old infant with Kawasaki disease on therapeutic plasma exchange

Sawada M, Ogino K, Waki K
Ther Apher Dial 2022;26(1):259-260.

Body temperature, heart rate and long-term outcome of cooled infants: an observational study

Tsuda K¹, Takahashi A, et al.
(¹Japanese Red Cross Nagoya Daini Hospital)
Pediatr Res 2022;91(4):921-928.

Urinary protein-to-creatinine ratios predict recurrence in pediatric and young adult cases of minimal change nephrotic syndrome

Miyahara H¹, Aya K, et al.
(¹Okayama University Hospital)
Acta Med Okayama 2022;76(1):41-49.

Higher serum thyroid autoantibody value is a risk factor of hypothyroidism in children and**young adults with chronic thyroiditis**

Shimura K¹, Yoshizaki K, et al.
(¹Tokyo Metropolitan Children's Medical
Center)
Clin Pediatr Endocrinol 2022;31(3):152-158.

Two cases of monozygotic twins with early-onset isolated (DYT1) dystonia effectively treated with bilateral globus pallidus internus stimulation

Okazaki Y¹, Hanaoka Y, et al.
(¹Okayama University Graduate School of
Medicine)
NMC Case Rep J 2022;9:307-312.

Hypoplastic coronary artery disease and hypertension in a child: a case report

Doi Y, Waki K, Ogino K, Hayashi T
Eur Heart J Case Rep 2022;6(1):1-5.

顆粒球除去療法を含む集学的治療で寛解を得た小児重症潰瘍性大腸炎の1例

戸川文字¹, 澤田真理子, 南 征樹, 荻野佳代,
松枝和宏¹, 上田恭典², 脇 研自,
新垣義夫ほか
(¹消化器内科, ²血液内科)
小児内科 2022;54(5):829-835.

ステロイド内服中に可逆性後頭葉白質脳症を起こした巣状分節性糸球体硬化症の1例

岡部礼恵, 綾 邦彦, 時岡孝平, 服部真也,
山本幹太, 澤田真理子, 内野かおり¹,
脇 研自, 新垣義夫ほか
(¹病理診断科)
日本小児腎臓病学会雑誌 2022;35(2):101-108.

初発症状として致死性不整脈を呈した複数副伝導路を有するWPW症候群の幼児

山内真由子, 土井悠司, 岡部礼恵, 佐藤一寿,
上田和利, 荻野佳代, 林 知宏, 脇 研自,
新垣義夫ほか
日本小児科学会雑誌 2022;126(11):1498-1504.

新生児に対する血液浄化療法の可能性 新生児の持続的血液濾過透析 血圧低下の原因と対策

澤田真理子

日本周産期・新生児医学会雑誌 2022;57(4):659-661.

超低出生体重児の循環管理が未熟児動脈管開存症に与える影響

上田和利, 高橋章仁, 近藤友里子, 岩崎恵里子, 榊田 翠, 砂田 哲, 徳増智子, 吉崎加奈子, 澤田真理子, 林 知宏, 久保田真通, 脇 研自

日本周産期・新生児医学会雑誌 2022;58(1):70-75.

集学的治療においてランダムスタート法による妊孕性温存を行った髄芽腫の一例

西尾周朗, 納富誠司郎, 濱端隆行, 今井 剛, 田中 優¹, 本田徹郎¹, 板坂 聡², 脇 研自¹(産婦人科, ²放射線治療科)

日本小児血液・がん学会雑誌 2022;58(5):432-436.

母体ビタミンD欠乏症による新生児低カルシウム血症の2例

英賀真二郎, 吉崎加奈子, 高橋章仁, 脇 研自

倉敷中央病院年報 2022;84:15-20.

神経調節補助換気 (neurally adjusted ventilatory assist: NAVA) を使用し胸部レントゲンで泡沫状/気腫状陰影が改善した超低出生体重児の2例

中原 優, 上田和利, 高橋章仁, 脇 研自

倉敷中央病院年報 2022;84:21-26.

超音波ガイド下針生検によって確定診断し得た下顎骨ランゲルハンス細胞組織球症の1例

高橋駿介¹, 小野貴史¹, 原 裕子¹, 小山 貴¹, 濱端隆行, 納富誠司郎, 脇 研自, 板倉淳哉², 能登原憲司²

(¹放射線診断科, ²病理診断科)

倉敷中央病院年報 2022;84:51-55.

フィンランド型先天性ネフローゼ症候群診療の手引き

石倉健司¹, 綾 邦彦ほか
(¹北里大学)

小児腎領域の希少・難治性疾患群の診療・研究体制の発展. II. 分担研究報告書, 6. 先天性ネフローゼ症候群及びネフロン癆の全国医療水準の向上のための診療手引書の作成に関する研究編, 2022, 資料1.

先天性・乳児ネフローゼ症候群

綾 邦彦

小児疾患診療のための病態生理2 改訂版第6版. V. 腎・泌尿器疾患, 「小児内科」「小児外科」編集委員会編, 東京医学社, 2022, pp 538-543.

小児の特性

澤田真理子

日本急性血液浄化学会標準マニュアル(改訂第2版). V. 小児に対する急性血液浄化 1. 総論, 日本急性血液浄化学会編, 医学図書出版, 2022, pp 331-333.

小児のバスキュラーアクセス

澤田真理子

日本急性血液浄化学会標準マニュアル(改訂第2版). V. 小児に対する急性血液浄化 2. 施行の実際, 日本急性血液浄化学会編, 医学図書出版, 2022, pp 334-337.

施行中の管理方法 (体温管理, 電解質管理, 回路交換など)

澤田真理子

日本急性血液浄化学会標準マニュアル(改訂第2版). V. 小児に対する急性血液浄化 2. 施行の実際, 日本急性血液浄化学会編, 医学図書出版, 2022, pp 366-369.

小児に対する血液浄化療法 (1) 先天性代謝異常, 急性肝不全

澤田真理子

救急・集中治療vol.34 no.4 徹底ガイド急性血液浄化療法—研修医からの質問276— III. 急性血液浄化療法の適応疾患・臨床場面, 土井研人編, 総合医学社, 2023, pp 1531-1536.

外科

The necessity of intensive surveillance colonos-

copy for patients with a remaining right colon after resection of colorectal cancer: a retrospective cohort study

Yokota M, Muto J, Hashida K, Nagahisa Y, Okabe M, Kitagawa H, Kawamoto K
Surg Today 2022;52(3):502-509.

Evaluation of 4-hand reduction for obturator hernia with the guidance of sonography as a new treatment strategy: a retrospective study

Togawa Y, Nagahisa Y, Kawamoto K, et al.
Medicine (Baltimore) 2022;101(43):e31375.

Multicenter, single-arm, phase II study of the continuous use of panitumumab in combination with FOLFIRI after FOLFOX for RAS wild-type metastatic colorectal cancer: exploratory sequential examination of acquired mutations in circulating cell-free DNA

Watanabe J¹, Yokota M, et al.
(¹Yokohama City University Medical Center)
Int J Cancer 2022;151(12):2172-2181.

An international retrospective observational study of liver functional deterioration after repeat liver resection for patients with hepatocellular carcinoma

Morise Z¹, Hashida K, et al.
(¹Fujita Health University School of Medicine Okazaki Medical Center)
Cancers (Basel) 2022;14(11):2598.

Impact of S-1 adjuvant chemotherapy longer than 6 months on survival in patients with resected pancreatic cancer: a nationwide survey by the Japan Pancreas Society based on real-world data

Tomimaru Y¹, Kitagawa H, et al.
(¹Osaka University)
Cancer 2022;129(5):728-739.

【膵臓の発生・生理・解剖から膵炎・膵癌の病態解明に至る最新の知見】

膵頭神経叢は膵頭部癌にとって何なのか？ とくに膵頭神経叢第I部について

北川裕久, 橋田和樹, 武藤 純, 岡部道雄, 仁科慎一¹, 長久吉雄, 横田 満, 増井敏彦, 河本和幸, 能登原憲司²
(¹腫瘍内科, ²病理診断科)
胆と膵 2022;43(8):723-730.

【ラパ胆を極める！】

基本術式とそのバリエーション 単孔式腹腔鏡下胆嚢摘出術の適応と手技

橋田和樹, 北川裕久
臨床外科 2022;77(6):689-692.

手術手技 腹腔鏡下Spiegel葉切除における安全な術野展開法 Three-direction Traction Technique

武藤 純, 橋田和樹, 野村悟己, 木下雅仁, 北川裕久, 河本和幸
手術 2022;76(1):93-97.

全国消化器外科紹介 第10回 公益財団法人大原記念倉敷中央医療機構倉敷中央病院外科

北川裕久
消化器外科 2022;45(7):829-832.

Incidental胆嚢癌の治療と成績

北川裕久, 武藤 純
胆道 2022;36(2):130-135.

妊婦の急性虫垂炎に対して腹腔鏡下虫垂切除術を施行した4例

森 千浩, 稲村幸雄, 穂山 竣, 寺田 剛, 外川雄輝, 武澤 衛, 森川彰貴
日本腹部救急医学会雑誌 2022;42(1):91-94.

歯ブラシの柄による直腸穿孔に対して腹腔鏡下手術が有用であった1例

武澤 衛, 稲村幸雄, 寺田 剛, 穂山 竣, 森 千浩, 森川彰貴ほか
日本腹部救急医学会雑誌 2022;42(3):425-428.

開腹アプローチで縫合閉鎖し得た特発性食道破裂

の4例

森 千浩, 稲村幸雄, 延廣征典, 穂山 竣,
外川雄輝, 寺田 剛, 武澤 衛, 森川彰貴
日本腹部救急医学会雑誌 2022;42(6):659-662.

閉鎖孔ヘルニア嵌頓に対する新しい非観血的整復
手技

上畑恭平, 長久吉雄, 外川雄輝, 武藤 純,
橋田和樹, 横田 満, 山口和盛, 岡部道雄,
北川裕久, 河本和幸
日本消化器外科学会雑誌 2022;55(1):1-9.

eCura systemを用いた早期胃癌ESD非治癒切除病
変に対する至適リンパ節郭清の検討

濱井健太, 長久吉雄, 武藤 純, 橋田和樹,
横田 満, 稲村幸雄, 山口和盛, 岡部道雄,
北川裕久, 河本和幸
日本消化器外科学会雑誌 2022;55(5):297-301.

臍頭十二指腸切除術中の門脈遮断による重度腸管
鬱血に対し12時間後の二期再建が有効であった1例

上畑恭平, 北川裕久, 武藤 純, 橋田和樹,
横田 満, 長久吉雄, 岡部道雄, 赤池瑤子¹,
能登原憲司¹, 河本和幸
(¹病理診断科)
日本消化器外科学会雑誌 2022;55(12):765-772.

気管気管支軟化症に対して大動脈胸骨固定術を施
行した重症心身障害児(者)の1例

花木祥二郎, 片山修一, 豊岡晃輔, 高田知佳
日本小児外科学会雑誌 2022;58(1):85-90.

受傷後早期にLetton-Wilson手術を施行したIIIb
型外傷性臍頭部損傷の小児例

花木祥二郎ほか
日本小児外科学会雑誌 2022;58(4):740-746.

Urethral Meatal WebによるAnterior Deflected
Urinary Streamを認めた1例

花木祥二郎ほか
日本小児泌尿器科学会雑誌 2022;31(1):75-78.

術前点墨により腹腔鏡下で低侵襲に切除し得た小
腸動静脈奇形の1例

寺嶋大貴, 岡部道雄, 宮部秀晃, 高田知佳,
野村悟己, 河本和幸
倉敷中央病院年報 2022;84:27-31.

腫瘍性イレウスを来した横行結腸原発びまん性大
細胞型B細胞リンパ腫の1例

濱井健太, 横田 満, 武藤 純, 橋田和樹,
長久吉雄, 河本和幸
倉敷中央病院年報 2022;84:33-38.

難治性十二指腸憩室出血に対する腹腔鏡下十二指
腸授動術を用いた小切開手術の1例

宮部秀晃, 橋田和樹, 武藤 純, 森川彰貴,
河瀬 信, 寺嶋大貴, 野村悟己, 穂山 竣,
岡部道雄, 北川裕久, 河本和幸
倉敷中央病院年報 2022;84:39-43.

術前3DCTでAdachi分類VI型26群と診断した胃癌
に対して鏡視下手術を行った2症例

山口賢二, 長久吉雄, 武澤 衛, 野村悟己,
外川雄輝, 宮部秀晃, 寺田 剛, 寺嶋大貴,
高田知佳, 木下雅仁, 森 千浩, 濱井健太,
森川彰貴, 武藤 純, 橋田和樹, 横田 満,
稲村幸雄, 岡部道雄, 北川裕久, 河本和幸
倉敷中央病院年報 2022;84:45-49.

整形外科

Multi-ancestry genome-wide association analy-
ses identify novel genetic mechanisms in rheuma-
toid arthritis

Ishigaki K¹, Ito H, et al.
(¹Brigham and Women's Hospital and Har-
vard Medical School)
Nat Genet 2022;54(11):1640-1651.

Comparison of conventional and transtrapezial
palmar approaches for screw fixation of scaphoid
waist fractures: a clinical study

Tsumura T, Imanaka T, Kishimoto K,
Ito H, et al.

J Hand Surg Eur 2022;47(9):915-920.

Acromial and humeral head osteolysis following superior capsular reconstruction using autologous tensor fascia lata graft

Takayama K, Shiode H, Ito H

J Shoulder Elbow Surg 2022;31(7):1479-1487.

Facilitated harvesting of a radial artery superficial palmar branch flap for reconstruction of moderate finger skin defects

Tsumura T, Imanaka T, Kishimoto K, Ito H, et al.

J Plast Reconstr Aesthet Surg 2022;75(9):3226-3233.

The clinical outcomes and tuberosity healing after reverse total shoulder arthroplasty for acute proximal humeral fracture using the turned stem tension band technique

Takayama K, Yamada S, Kobori Y, Shiode H

J Orthop Sci 2022;27(2):372-379.

Kinematic comparison between asymmetrical and symmetrical polyethylene inserts during deep knee bend activity

Nakamura S¹, Ito H, et al.
(¹Kyoto University)

J Orthop Sci 2022;27(4):810-814.

Association between sagittal spinal alignment and postoperative shoulder range of motion following reverse total shoulder arthroplasty

Takayama K, Yamada S, Kobori Y, Shiode H

J Orthop Sci 2022;27(5):1002-1009.

Lateral interbody fusion for hyperlordosis and negative sagittal vertical axis because of accordion phenomenon: a case report

Shima K¹, Murata S, et al.

(¹Fukui Red Cross Hospital)

JBJS Case Connect 2022;12(2):e22.

Machine learning-based prediction of relapse in rheumatoid arthritis patients using data on ultrasound examination and blood test

Matsuo H¹, Ito H, et al.

(¹Kyoto University)

Sci Rep 2022;12(1):7224.

Late-onset rheumatoid arthritis registry study, LORIS study: study protocol and design

Kojima M¹, Ito H, et al.

(¹Nagoya City University)

BMC Rheumatol 2022;6(1):90.

Severe hand contracture treated by external fixation after proximal row carpectomy and awake tenolysis after general anesthesia: a case report

Tsumura T, Matsumoto T, Matsushita M,

Kishimoto K, Shiode H, Murakami H

Chin J Traumatol 2022;25(1):54-58.

An anatomical study for the location of suprascapular and spinoglenoid notches using three-dimensional computed tomography images of scapula

Takayama K, Ito H

JSES Int 2022;6(4):669-674.

Dynamics of type I and type II interferon signature determines responsiveness to anti-TNF therapy in rheumatoid arthritis

Iwasaki T¹, Ito H, et al.

(¹Kyoto University Graduate School of Medicine)

Front Immunol 2022;13:901437.

Perceptions and behaviours related to COVID-19 in patients with rheumatoid arthritis: a cross-sectional study

Itaya T¹, Ito H, et al.

(¹Kyoto University)

Clin Rheumatol 2022;41(1):45-51.

How does asymmetric tibial insert affect tibio-femoral kinematics and contact stresses in total knee Arthroplasty?

Song YD¹, Ito H, et al.
(¹Kyoto University)
Knee 2022;39:185-196.

Effect of impaired T cell receptor signaling on the gut microbiota in a mouse model of systemic autoimmunity

Shirakashi M¹, Ito H, et al.
(¹Kyoto University)
Arthritis Rheumatol 2022;74(4):641-653.

Role of lysine-specific demethylase 1 in metabolically integrating osteoclast differentiation and inflammatory bone resorption through hypoxia-inducible factor 1 α and E2F1

Doi K¹, Ito H, et al.
(¹Kyoto University Graduate School of Medicine)
Arthritis Rheumatol 2022;74(6):948-960.

Differential efficacy of TNF inhibitors with or without the immunoglobulin fragment crystallizable (Fc) portion in rheumatoid arthritis: the ANSWER cohort study

Nakayama Y¹, Ito H, et al.
(¹Kyoto University Graduate School of Medicine)
Rheumatol Int 2022;42(7):1227-1234.

Neutrophil count reduction 1 month after initiating tocilizumab can predict clinical remission within 1 year in rheumatoid arthritis patients

Nakajima T¹, Ito H, et al.
(¹Kyoto University)
Rheumatol Int 2022;42(11):1983-1991.

Ultrasonographic changes of the knee joint reflect symptoms of early knee osteoarthritis in general population; the Nagahama study

Saito M¹, Ito H, et al.
(¹Kyoto University)
Cartilage 2022;13(1):19476035221077403.

Favorable clinical response and drug retention of anti-IL-6 receptor inhibitor in rheumatoid arthritis with high CRP levels: the ANSWER cohort study

Nakayama Y¹, Ito H, et al.
(¹Kyoto University Graduate School of Medicine)
Scand J Rheumatol 2022;51(6):431-440.

Coexistence of low back pain and lumbar kyphosis and the association with increased functional disability in knee osteoarthritis: results from a population-based cohort

Taniguchi M¹, Ito H, et al.
(¹Kyoto University)
Arthritis Care Res (Hoboken) 2022;74(10):1667-1675.

Overall survival and post-spontaneous regression relapse-free survival of patients with lymphoproliferative disorders associated with rheumatoid arthritis: a multi-center retrospective cohort study

Saito R¹, Ito H, et al.
(¹Kyoto University)
Mod Rheumatol 2022;32(1):50-58.

Systematic review and meta-analysis of biosimilar for the treatment of rheumatoid arthritis informing the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis

Tanaka E¹, Ito H, et al.
(¹Tokyo Women's Medical University School of Medicine)
Mod Rheumatol 2022;32(1):74-86.

Does exercise therapy improve patient-reported outcomes in rheumatoid arthritis? A systematic

review and meta-analysis for the update of the 2020 JCR guidelines for the management of rheumatoid arthritis

Sobue Y¹, Ito H, et al.

(¹Nagoya University Graduate School of Medicine)

Mod Rheumatol 2022;32(1):96-104.

Patient satisfaction with total joint replacement surgery for rheumatoid arthritis: a questionnaire survey for the 2020 update of the Japan college of rheumatology clinical practice guidelines

Sobue Y¹, Ito H, et al.

(¹Nagoya University Graduate School of Medicine)

Mod Rheumatol 2022;32(1):121-126.

Region specificity of rheumatoid foot symptoms associated with ultrasound-detected synovitis and joint destruction

Ishie S¹, Ito H, et al.

(¹Kyoto University Graduate School of Medicine)

Mod Rheumatol 2022;32(1):127-135.

Comprehensive risk analysis of postoperative complications in patients with rheumatoid arthritis for the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis

Ito H et al.

Mod Rheumatol 2022;32(2):296-306.

Patients' perspectives of rheumatoid arthritis treatment: a questionnaire survey for the 2020 update of the Japan college of rheumatology clinical practice guidelines

Kojima M¹, Ito H, et al.

(¹National Center for Geriatrics and Gerontology)

Mod Rheumatol 2022;32(2):307-312.

Systematic review for the treatment of older rheumatoid arthritis patients informing the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis

Sugihara T¹, Ito H, et al.

(¹Tokyo Medical and Dental University)

Mod Rheumatol 2022;32(2):313-322.

The real-world effectiveness of anti-RANKL antibody denosumab on the clinical fracture prevention in patients with rheumatoid arthritis: the ANSWER cohort study

Murata K¹, Ito H, et al.

(¹Kyoto University Graduate School of Medicine)

Mod Rheumatol 2022;32(4):834-838.

A unique salvage operation strategy: implantation of the ulnar total elbow component to the radius to overcome large ulnar bone defect caused by infection after total elbow arthroplasty

Tomizawa T¹, Ito H, et al.

(¹Tenri Hospital)

Mod Rheumatol Case Rep 2022;6(1):115-119.

Prevalence and predictive factors of difficult-to-treat rheumatoid arthritis: the KURAMA cohort

Watanabe R¹, Ito H, et al.

(¹Kyoto University Graduate School of Medicine)

Immunol Med 2022;45(1):35-44.

【最新関節リウマチ学（第2版）一寛解・治癒を目指した研究と最新治療一】

関節リウマチの治療 外科治療 手術の合併症と対応

伊藤 宣

日本臨床 2022;80(増刊4 最新関節リウマチ学):542-545.

【世代別肩の痛み—診療のポイントとアプローチ】
中高齢者の大・広範囲腱板断裂 これから始める
人のための鏡視下肩上方関節包再建術

高山和政, 伊藤 宣
Orthopaedics 2022;35(2):33-40.

小切開法による上方関節包再建術の臨床的有用性
高山和政, 山田俊介, 小堀 悠
整形外科 2022;73(8):910-913.

Linked type人工肘関節全置換

伊藤 宣
整形外科手術Knack & Pitfalls 上肢人工関節置換
術の要点と盲点. II肘関節, 岩崎倫政編, 文光堂, 2022,
pp 60-69.

脳神経外科・脳卒中科

**The bifurcation angle is associated with the
progression of saccular aneurysms**

Shimizu K¹, Chin M, Ishibashi R, et al.
(¹Kyoto University Graduate School of Medi-
cine)
Sci Rep 2022;12(1):7409.

**Clinical features and long-term outcomes of
symptomatic low-grade carotid stenosis**

Kurosaki Y, Kinosada M, Ikeda H,
Yamashita H, Chin M, et al.
J Stroke Cerebrovasc Dis 2022;31(11):106779.

**Correlation of scoring systems with the require-
ment of an external ventricular drain in intraven-
tricular hemorrhage**

Maki Y, Ishibashi R, Yasuda T, Tokumasu H¹,
Yamamoto Y¹, Yamashita H, Morita T,
Ikeda H, Chin M, Yamagata S, et al.
(¹The Clinical Research Institute)
World Neurosurg 2022;163:e532-e538.

**Aneurysm perforation due to advancement of
the coil delivery wire during stent-assisted Embo-
lization**

Osuki T, Ikeda H, Uezato M, Kinosada M,
Chin M
Cureus 2022;14(8):e28063.

**Removal of a central venous catheter penetrat-
ing the vertebral artery: a case report on endovas-
cular treatment for blunt cerebrovascular injury**

Kaneko R, Ikeda H, Uezato M, Chin M
Surg Neurol Int 2022;13:84.

**Short-term aneurysm formation and rupture
due to septic embolism diagnosed with a throm-
bus retrieved from another occluded artery**

Nukata R¹, Ikeda H, Akaike N, Kurosaki Y,
Fujiwara T, Uezato M, Kinosada M,
Shindo K¹, Chin M
(¹Department of Neurology)
Surg Neurol Int 2022;13:474.

**Factors related to microcatheter passage
through the trans-cell approach using a low-pro-
file visualized intraluminal support device: an in-
vitro study**

Ikeda H, Kinosada M, Kurosaki Y, Handa A,
Chin M, Yamagata S
J Neuroradiol 2022;49(1):87-93.

**A multicenter prospective registry of Borden
type I dural arteriovenous fistula: results of a
3-year follow-up study**

Nishi H¹, Ikeda H, et al.
(¹Kyoto University Graduate School of Medi-
cine)
Neuroradiology 2022;64(4):795-805.

**Low-profile visualized intraluminal support
Blue stenting within a Neuroform Atlas stent for
a large wide-necked aneurysm: a case report and
a bench-top experiment**

Hayashi T, Ikeda H, Ishibashi R, Fujiwara T,
Kaneko R, Uezato M, Kinosada M,
Kurosaki Y, Handa A, Chin M

Neuroradiol J 2022;35(1):126-131.

Gradual dilatation of an occluded transverse sinus associated with dural arteriovenous fistula after balloon angioplasty with sinus packing: a case report

Osuki T, Ikeda H, Hayashi T, Park S,
Uezato M, Kinosada M, Kurosaki Y, Handa A,
Chin M

Neuroradiol J 2022;35(3):388-395.

Less invasive management of endovascular embolization and neuroendoscopic surgery for a dural arteriovenous fistula presenting with acute subdural hematoma

Ishibashi R¹, Ikeda H, et al.
(¹Kitano Hospital)

Asian J Neurosurg 2022;17(2):362-366.

Hemodynamic change due to vessel straightening immediately after LVIS Jr. deployment for an anterior communicating artery aneurysm

Takada K, Ikeda H, Kurosaki Y, Hayashi T,
Uezato M, Kinosada M, Handa A, Chin M

JNET 2022;16(8):425-430.

Inferior epigastric artery injury due to femoral venipuncture for neuroendovascular intervention: two cases requiring transcatheter arterial embolization

Fujiwara T, Ikeda H, Kuriyama A¹, Ono T²,
Takada K, Handa A, Uezato M, Kinosada M,
Kurosaki Y, Chin M

(¹Emergency and Critical Care Center,
²Department of Diagnostic Radiology)

JNET 2022;16(9):467-473.

呼吸器外科

Segmentectomy versus lobectomy in small-sized peripheral non-small-cell lung cancer (JCOG0802/WJOG4607L): a multicentre, open-label, phase 3, randomised, controlled, non-inferiority trial

Saji H¹, Okumura N, et al.

(¹St Marianna University School of Medicine)

Lancet 2022;399(10335):1607-1617.

Predictive value of EGFR mutation in non-small-cell lung cancer patients treated with platinum doublet postoperative chemotherapy

Takahashi T¹, Okumura N, et al.
(¹Shizuoka Cancer Center)

Cancer Sci 2022;113(1):287-296.

Prognostic impact of mediastinal lymph node dissection in octogenarians with lung cancer: JACS1303

Nakao M¹, Okumura N, et al.
(¹The Cancer Institute Hospital)

Clin Lung Cancer 2022;23(3):e176-e184.

The C-reactive protein to albumin ratio is a prognostic factor for stage I non-small cell lung cancer in elderly patients: JACS1303

Miyazaki T¹, Okumura N, et al.
(¹Nagasaki University Graduate School of
Biomedical Sciences)

Surg Today 2022;52(10):1463-1471.

Epidermal growth factor receptor tyrosine kinase inhibitors as first-line treatment for postoperative recurrent EGFR-mutated lung adenocarcinoma: a multi-institutional retrospective study

Miyata R¹, Kobayashi M, Okumura N, et al.
(¹Japanese Red Cross Wakayama Medical
Center)

Eur J Cardiothorac Surg 2022;62(5):ezac430.

産婦人科

Betamethasone use and risk factors for pulmonary edema during the perinatal period: a single-center retrospective cohort study in Japan

Nishikawa T, Fukuhara K

BMC Pregnancy Childbirth 2022;22(1):636.

Lower systolic blood pressure levels in early pregnancy are associated with a decreased risk of early-onset superimposed preeclampsia in women with chronic hypertension: a multicenter retrospective study

Ueda A¹, Hasegawa M, et al.
(¹Kyoto University)
Hypertens Res 2022;45(1):135-145.

A case of dedifferentiated carcinoma associated with grade 1 endometrioid carcinoma with prominent squamous differentiation at the lower uterine segment

Yamano K et al.
Int Cancer Conf J 2022;12(1):63-68.

【子宮収縮抑制薬の長期投与はやめられるのか?—切迫早産管理のエビデンスと実践—】

切迫早産に対する羊水検査のエビデンス
長谷川雅明
産婦人科の実際 2022;71(7):725-728.

帝王切開術後に外陰部血腫を発症した1例

藤塚 捷, 黒田亮介, 西村智樹, 原 理恵,
田中 優, 楠本知行, 福原 健, 中堀 隆,
長谷川雅明, 本田徹郎
現代産婦人科 2022;70(2):335-338.

当院でのジノプロストン腔内留置用製剤の使用成績について 従来法との比較および留置時間についての検討

村越まどか, 福原 健, 新垣紀子, 細部由佳,
山野和紀, 藤塚 捷, 黒田亮介, 露木大地,
原 理恵, 西村智樹, 田中 優, 伊藤拓馬,
楠本知行, 中堀 隆, 長谷川雅明, 本田徹郎
現代産婦人科 2022;70(2):369-373.

著明な高トリグリセリド血症により重症急性膵炎を発症したが, 母児ともに救命し得た双胎妊婦の一例

福田真優¹, 上野真行², 中村しほり,
村部浩之³, 羽田綾子², 清輔良江², 石田悦嗣²,
水野元夫²

(¹医師教育研修部, ²消化器内科, ³内分泌代謝・
リウマチ内科)

膵臓 2022;37(2):67-73.

集学的治療においてランダムスタート法による妊孕性温存を行った髄芽腫の一例

西尾周朗¹, 納富誠司郎¹, 濱端隆行¹,
今井 剛¹, 田中 優, 本田徹郎, 板坂 聡²,
脇 研自¹
(¹小児科, ²放射線治療科)

日本小児血液・がん学会雑誌 2022;58(5):432-436.

泌尿器科

Complete remission of renal cell carcinoma with lung carcinomatous lymphangiosis after primary therapy with immune checkpoint inhibitors followed by partial nephrectomy for surgical consolidation

Kambe T¹, Inoue K, et al.
(¹Kobe City Medical Center General Hospital)
IJU Case Rep 2022;5(3):168-171.

Impact of health-related quality of life on repeat protocol biopsy compliance on active surveillance for favorable prostate cancer: results from a prospective cohort in the PRIAS-JAPAN study

Tohi Y¹, Inoue K, et al.
(¹Kagawa University)
Urol Oncol 2022;40(2):56.e9-56.e15.

Deferred radical prostatectomy in patients who initially elected for active surveillance: a multi-institutional, prospective, observational cohort of the PRIAS-JAPAN study

Tohi Y¹, Naito H, et al.
(¹Kagawa University)
Int J Clin Oncol 2022;27(1):194-201.

Case report: a case of renal cell carcinoma unclassified with medullary phenotype exhibiting a favorable response to combined immune checkpoint blockade

Takeda M¹, Fuchigami Y, et al.
 (¹Kyoto University Graduate School of Medicine)

Front Immunol 2022;13:934991.

【尿のトラブル110番 排尿を助けるくすり、妨げるくすり】

尿にまつわるエトセトラ（症状が教えてくれること）尿が出すぎる！

内藤宏仁

Rp.+ 2022;21(3):034-037.

術前診断により精巣温存しえた精巣類表皮嚢腫の1例

測上靖史, 宮川拓朗, 山口貴大, 鶴田将史,
 曲淵敏博, 内藤宏仁, 井口 亮, 寺井章人,
 井上幸治

泌尿器科紀要 2022;68(2):67-70.

IV. 生殖器外傷

井上幸治ほか

泌尿器外傷診療ガイドライン 2022年版. 日本泌尿器科学会編集, 医学図書出版, 2022, pp 120-135.

眼科

Scleral buckling versus pars plana vitrectomy in simple phakic macula-on retinal detachment: a propensity score-matched, registry-based study

Kawano S et al.

Br J Ophthalmol 2022;106(6):857-862.

Differences in primary retinal detachment surgery conducted on holidays and workdays analyzed using the Japan Retinal Detachment Registry

Kawano S et al.

Jpn J Ophthalmol 2022;66(3):271-277.

他科の先生に知って欲しい 眼科編⑨ 本当は怖い動眼神経麻痺

西田明弘

岡山県医師会報 2022;1583:26.

耳鼻咽喉科・頭頸部外科

Accuracy of algorithms to identify patients with a diagnosis of major cancers and cancer-related adverse events in an administrative database: a validation study in an acute care hospital in Japan

Fujiwara T, Iwasaku M¹, Tokumasu H¹, et al.
 (¹Clinical Research Center)

BMJ Open 2022;12(7):e055459.

【めまい診療根拠をもって対応できる！“何となく”を解消！救急でよく出合う疾患の診断ポイントと原因を意識した処置, フォロー・再発予防】

前庭神経炎

藤原崇志

レジデントノート 2022;24(7):1121-1130.

中咽頭後壁癌再建術後に経口摂取を獲得した症例についての嚥下機能に関する検討

岩永 健¹, 佐藤進一, 玉木久信ほか
 (¹京都大学)

頭頸部癌 2022;48(3):301-307.

形成外科・美容外科

Clinical utility of silk-elastin sponge in patients with chronic and acute skin ulcers: study protocol of a multicenter clinical trial

Noda K et al.

Dermatol Ther (Heidelb) 2022;12(1):243-252.

【新規創傷治療材料をいかに活かすか】

シルクエラスチンを用いた新規創傷治療材料の開発

野田和男ほか

形成外科 2022;65(10):1166-1176.

生下時より頬部に生じた乳頭状汗管嚢胞腺腫の1例

山下弘鈴ほか

日本形成外科学会誌 2022;42(2):62-66.

50代男性の右肩峰部に発生したpleomorphic dermal sarcomaの1例

籠浦英里子, 森山太陽, 内野かおり¹,
青木久尚

(¹病理診断科)

Skin Cancer 2022;36(3):245-253.

皮膚科

【好酸球の役割を知り, 診断・治療に活かす】(Part2.)

皮疹から考える 症例をみよう 結節をみる(case8)
陰囊に生じたangiolymploid hyperplasia with
eosinophilia

渡部桃子, 大谷稔男

Visual Dermatology 2022;21(9):894-896.

再発時に生じた皮疹の生検により組織球性壊死性
リンパ節炎と考えた1例

渡部桃子, 妹尾春佳, 山下 彩,

大谷稔男ほか

臨床皮膚科 2022;76(3):214-218.

Karp型Orientia tsutsugamushi感染によるツツガ
ムシ病の1例

山下達也, 山下 彩, 大谷稔男ほか

倉敷中央病院年報 2022;84:57-59.

放射線診断科

Diffuse ¹⁸F-fluorodeoxyglucose uptake in the
bone marrow of an elderly man with B-cell lym-
phoma

Saito K¹, Notohara K², Sakata E, Nakatani K,
Ueda Y¹

(¹Department of Hematology/Oncology,

²Department of Anatomic Pathology)

Int J Hematol 2022;116(1):1-2.

Systemic vasculitis following SARS-CoV-2 mRNA
vaccination demonstrated on FDG PET/CT

Nakatani K, Sakata E, Fujihara M¹,

Mizukawa K², Koyama T

(¹Department of General Internal Medicine,

²Department of Endocrinology and Rheuma-
tology)

Clin Nucl Med 2022;47(5):e403-e405.

The status of chronic lung disease diagnosis in
Japan: secondary publication

Ito M¹, Hara H, et al.

(¹Akita University Graduate School of Medi-
cine)

Pediatr Int 2022;64(1):e15184.

Magnetic resonance imaging findings of pure
prostatic ductal adenocarcinomas: a case series

Edo H¹, Koyama T, et al.

(¹National Defense Medical College)

Abdom Radiol (NY) 2022;47(6):1929-1938.

Ultrasound-guided lung biopsy with coaxial
technique: pleural contact length affects the oc-
currence of pneumothorax after first puncture

Imamine R, Yamamoto Y¹, et al.

(¹Clinical Research Center)

Jpn J Radiol 2022;40(4):404-411.

Inferior epigastric artery injury due to femoral
venipuncture for neuroendovascular intervention:
two cases requiring transcatheter arterial emboli-
zation

Fujiwara T¹, Ikeda H¹, Kuriyama A², Ono T,
Takada K¹, Handa A¹, Uezato M¹,

Kinosada M¹, Kurosaki Y¹, Chin M¹

(¹Department of Neurosurgery and Stroke,

²Emergency and Critical Care Center)

JNET 2022;16(9):467-473.

Rare case of retropubic parasymphseal cyst in
a male patient

Arase S¹, Koyama T, et al.

(¹Kinan Hospital)

IJU Case Rep 2022;5(1):36-40.

Utility of renal biopsy in differentiating idio-
pathic multicentric Castleman disease from IgG4-
related disease

Kawanishi M¹, Koyama T, et al.

(¹Shimane University)

CEN Case Rep 2022;doi: 10.1007/s13730-022-00751-w.

【鑑別診断に役立つ 臨床でたまに見かける希少症例の知識】

女性生殖器

伊藤久尊, 小山 貴
臨床画像 2022;38(11):1306-1316.

【画像でみかける偶発的所見のマネジメント2022—あなたならどう書く?—】

全身 神経鞘腫

小山 貴
画像診断 2022;42(11):A222-A223.

【画像でみかける偶発的所見のマネジメント2022—あなたならどう書く?—】

全身 神経節神経腫

熊澤高雄, 小山 貴
画像診断 2022;42(11):A224-A225.

【プライマリケアにおける単純X線検査—ここまで読影することができる】

胸部 概論 胸部単純X線の側面像の意義

小野貴史, 原 裕子
小児内科 2022;54(3):387-392.

腎 Anastomosing hemangiomaの1例

佐々木禎¹, 小山 貴ほか
(¹秋田大学)
泌尿器科紀要 2022;68(8):265-269.

感染性walled-off necrosisの上腸間膜静脈内への穿破に対し、保存的治療で救命しえた1例

上西陽介¹, 上野真行¹, 小山 貴, 池田有希¹,
戸川文子¹, 羽田綾子¹, 眞野俊史¹, 石田悦嗣¹,
山本 博¹, 水野元夫¹ほか
(¹消化器内科)
日本病院総合診療医学会雑誌 2022;18(1):20-27.

超音波ガイド下針生検によって確定診断し得た下顎骨ランゲルハンス細胞組織球症の1例

高橋駿介, 小野貴史, 原 裕子, 小山 貴,
濱端隆行¹, 納富誠司郎¹, 脇 研自¹,
板倉淳哉², 能登原憲司²
(¹小児科, ²病理診断科)

倉敷中央病院年報 2022;84:51-55.

Imaging findings of perinatal brain injury that may cause cerebral palsy

Tsutsumi Y¹, Hara H
(¹National Center for Child Health and Development)

Cerebral Palsy. PartI Perspective, Matsuda Y eds, Springer, 2022, pp 53-60.

放射線治療科

Efficacy and safety of external-beam radiation therapy for unresectable primary or local recurrent cholangiocarcinoma

Murakami T¹, Hanazawa H, et al.
(¹Kyoto University)

Cancer Diagn Progn 2022;2(6):634-640.

Rapidly growing locally advanced non-small cell lung cancer treated with definitive chemoradiotherapy using adaptive volumetric modulated arc therapy followed by durvalumab maintenance: a case report

Sakai K, Fujii K, Hanazawa H, Sakai M,
Tsutsumi Y, Fukuda Y¹, Akaike Y²,
Notohara K², Itasaka S
(¹Department of Respiratory Medicine,
²Department of Anatomic Pathology)

Am J Case Rep 2022;23:e934767.

集学的治療においてランダムスタート法による妊孕性温存を行った髄芽腫の一例

西尾周朗¹, 納富誠司郎¹, 濱端隆行¹,
今井 剛¹, 田中 優², 本田徹郎², 板坂 聡,
脇 研自¹
(¹小児科, ²産婦人科)

日本小児血液・がん学会雑誌 2022;58(5):432-436.

麻酔科

幼児に対する気管チューブ径選択における身長・体重による推定月齢を用いたColeの式変法の有用性の検討

上畑悠子, 豊田浩作
麻酔 2022;71(4):368-374.

プロタミンによる致死肺血管収縮を来し術後早期に呼吸不全で死亡した大動脈弁形成術の1症例

小田亜希子, 木村素子, 赤池瑤子¹, 白神拓²,
小宮達彦², 石田和慶
(¹病理診断科, ²心臓血管外科)
麻酔 2022;71(11):1205-1210.

「高齢者・超高齢者における周術期麻酔管理の特徴と問題点」によせて

石田和慶ほか
日本臨床麻酔学会誌 2022;42(2):152.

術前胸部X線で異常を認めなかったが、手術直前に胸水貯留Pseudo-Meigs症候群を起こした巨大卵巣腫瘍2症例と周術期管理

吉岡俊樹, 石田和慶, 大竹由香, 小堀鮎美
日本臨床麻酔学会誌 2022;42(4):328-334.

経頭蓋ドプラと経頭蓋カラーフローイメージング

石田和慶
神経麻酔と神経集中治療の基礎と実践, 第5章 神経系モニタリング, 飯田宏樹監, 日本医事新報社, 2022, pp 152-155.

救急科・集中治療科

ARDS clinical practice guideline 2021

Tasaka S¹, Kamei J, et al.
(¹Hirosaki University Graduate School of Medicine)
Respir Investig 2022;60(4):446-495.

Lisfranc Injury

Funatomi H, Kuriyama A
N Engl J Med 2022;386(3):e4.

Guidelines for the prevention and management of children and adolescents with COVID-19

Liu E¹, Fukuoka T, et al.
(¹Department of Respiratory Medicine Children's Hospital of Chongqing Medical University)
Eur J Pediatr 2022;181(12):4019-4037.

Cutaneous metastasis of rectal cancer

Oka N, Kuriyama A
Am J Med Sci 2022;364(1):e10.

Calcific tendinitis of rectus femoris

Kuriyama A
Clin Exp Emerg Med 2022;9(2):160-161.

Green urine due to propofol

Kuriyama A
Postgrad Med J 2022;98(1157):230.

Prevalence of burnout among internal medicine and primary care physicians before and during the COVID-19 pandemic in Japan

Nonaka S¹, Kuriyama A, et al.
(¹Minamisoma Municipal General Hospital)
Intern Med 2022;61(5):647-651.

Blood gas analysis results and serum lactate levels in patients with psychogenic hyperventilation and urinary tract infection with suspected sepsis: a retrospective comparative study

Urushidani S, Kuriyama A, et al.
Intern Med 2022;61(11):1699-1706.

Addition of baricitinib to COVID-19 treatment does not increase bacterial infection compared to standard therapy: a single-center retrospective study

Kobe H¹, Ito A¹, Nakanishi Y¹, Kuriyama A, Ishida T¹, et al.
(¹Department of Respiratory Medicine)
Intern Med 2022;61(15):2273-2279.

Aneurysmal superior mesenteric artery syndrome

Kamei J, Kuriyama A
Cureus 2022;14(5):e24761.

It is time to define an organizational model for the prevention and management of infections along the surgical pathway: a worldwide cross-sectional survey

Sartelli M¹, Kuriyama A, et al.
(¹Macerata Hospital)
World J Emerg Surg 2022;17(1):17.

A patient with right upper quadrant pain

Urushidani S, Kuriyama A
Ann Emerg Med 2022;80(3):e27-e28.

A phenytoin-induced ataxia mimicking a stroke

Urushidani S
Am J Emerg Med 2022;60:226.e5-226.e6.

Parasternal intercostal function during sustained hypoxia

Ji M¹, Ikegami T, et al.
(¹University of Calgary)
J Appl Physiol (1985) 2022;132(3):622-631.

A review of research studies using data from the Administrative claims databases in Japan

Fujinaga J, Fukuoka T
Drugs Real World Outcomes 2022;9(4):543-550.

Incidence and risk factors of acute cholecystitis after cardiovascular surgery

Kamei J, Kuriyama A, Shimamoto T¹,
Komiya T¹
(¹Department of Cardiovascular Surgery)
Gen Thorac Cardiovasc Surg 2022;70(7):611-618.

Tips for busy clinicians to gauge conclusions from clinical trials

Jackson JL¹, Kuriyama A, et al.

(¹Zablocki VAMC)

J Gen Intern Med 2022;37(1):1-3.

Approaches to assessing and adjusting for selective outcome reporting in meta-analysis

Jackson JL¹, Kuriyama A, et al.
(¹Clement J Zablocki VAMC)
J Gen Intern Med 2022;37(5):1247-1253.

Associations between gender and racial patient-physician concordance and visit outcomes among hypertensive patients in primary care

Jackson JL¹, Kuriyama A, et al.
(¹Clement J Zablocki VAMC)
J Gen Intern Med 2022;37(6):1569-1571.

Burnout, depression, anxiety, and insomnia of internists and primary care physicians during the COVID-19 pandemic in Japan: a cross-sectional survey

Kuriyama A et al.
Asian J Psychiatr 2022;68:102956.

Successful resuscitation of cardiac arrest after refeeding syndrome associated with hiatal hernia: a case report

Kotake K¹, Iizuka N, et al.
(¹Okayama Saiseikai General Hospital)
Am J Case Rep 2022;23:e935605.

International patient preferences for physician attire: results from cross-sectional studies in four countries across three continents

Houchens N¹, Kuriyama A, et al.
(¹VA Ann Arbor Healthcare System)
BMJ Open 2022;12(10):e061092.

Prevalence and appropriateness of indwelling urinary catheters in Japanese hospital wards: a multicenter point prevalence study

Katayama K¹, Kuriyama A, et al.
(¹International University of Health and

Welfare Narita Hospital)
BMC Infect Dis 2022;22(1):175.

Work-related stress and coping methods of internists and primary care physicians during the COVID-19 pandemic in Japan: a mixed-method study

Shikino K¹, Kuriyama A, et al.
(¹Chiba University Hospital)
J Gen Fam Med 2022;23(5):327-335.

Accuracy evaluation of mainstream and side-stream end-tidal carbon dioxide monitoring during noninvasive ventilation: a randomized cross-over trial (MASCAT-NIV trial)

Sakuraya M¹, Yoshino Y, et al.
(¹JA Hiroshima General Hospital)
J Intensive Care 2022;10(1):17.

Use of broad-spectrum antimicrobials for more than 72 h and the detection of multidrug-resistant bacteria in Japanese intensive care units: a multicenter retrospective cohort study

Yoshida H¹, Kuriyama A, et al.
(¹St. Marianna University School of Medicine)
Antimicrob Resist Infect Control 2022;11(1):119.

Inferior epigastric artery injury due to femoral venipuncture for neuroendovascular intervention: two cases requiring transcatheter arterial embolization

Fujiwara T¹, Ikeda H¹, Kuriyama A, Ono T²,
Takada K¹, Handa A¹, Uezato M¹,
Kinosada M¹, Kurosaki Y¹, Chin M¹
(¹Department of Neurosurgery and Stroke,
²Department of Diagnostic Radiology)
JNET 2022;16(9):467-473.

COVID-19および非COVID-19の急性呼吸促進症候群患者における腹臥位

小野寺陸雄
倉敷中央病院年報 2022;84:1-7.

リハビリテーション科

急性期病院におけるリハビリテーション

秋山仁美
倉敷中央病院年報 2022;84:9-13.

病理診断科

Amendment of the Japanese consensus guidelines for autoimmune pancreatitis, 2020

Okazaki K¹, Notohara K, et al.
(¹Kansai Medical University)
J Gastroenterol 2022;57(4):225-245.

A 73-year-old man with refractory hemoptysis

Kobe H¹, Momose M¹, Miyazaki Y¹, Nishihara C, Yoshida T², Ishida T¹
(¹Department of Respiratory Medicine,
²Department of Endocrinology and Rheumatology)
Chest 2022;162(4):e165-e168.

Diffuse ¹⁸F-fluorodeoxyglucose uptake in the bone marrow of an elderly man with B-cell lymphoma

Saito K¹, Notohara K, Sakata E², Nakatani K²,
Ueda Y¹
(¹Department of Hematology/Oncology,
²Department of Diagnostic Radiology)
Int J Hematol 2022;116(1):1-2.

Diffuse large B-cell lymphoma 18 years after bilateral lacrimal gland IgG4-related disease: case report and literature review

Matsuo T¹, Notohara K, Okada K², et al.
(¹Okayama University Graduate School of Interdisciplinary Science and Engineering in Health Systems, ²Department of Hematology/Oncology)

J Investig Med High Impact Case Rep 2022;10:23247096211067894.

Salivary gland polymorphous adenocarcinoma:

clinicopathological features and gene alterations in 36 Japanese patients

Fukumura M¹, Notohara K, et al.
(¹Aichi Gakuin University)
J Oral Pathol Med 2022;51(8):710-720.

Mycophenolate mofetil for immune checkpoint inhibitor-related hepatotoxicity relapsing during dose reduction of corticosteroid: a report of two cases and literature review

Ueno M¹, Takabatake H¹, Hata A¹,
Kayahara T¹, Morimoto Y¹, Notohara K,
Mizuno M¹
(¹Department of Gastroenterology and Hepatology)
Cancer Rep (Hoboken) 2022;5(9):e1624.

Complete bone marrow necrosis with Charcot-Leyden crystals caused by myeloid neoplasm with mutated NPM1 and TET2

Saito K¹, Sato T¹, Notohara K, Ueda Y¹, et al.
(¹Department of Hematology/Oncology)
Intern Med 2022;61(21):3265-3269.

A case of enterochromaffin-like cell neuroendocrine tumor associated with parietal cell dysfunction which was successfully treated with somatostatin analogue

Hirai R¹, Itakura J, Mizuno M², et al.
(¹Okayama University Hospital, ²Department of Gastroenterology and Hepatology)
Clin J Gastroenterol 2022;15(2):363-367.

The implicated clinical factors for outcomes in 304 patients with salivary duct carcinoma: Multi-institutional retrospective analysis in Japan

Kusafuka K¹, Itakura J, et al.
(¹Shizuoka General Hospital)
Head Neck 2022;44(6):1430-1441.

Investigation of IgG4-positive cells in idiopathic multicentric Castleman disease and validation of

the 2020 exclusion criteria for IgG4-related disease

Nishikori A¹, Notohara K, et al.
(¹Okayama University Graduate School of Health Sciences)
Pathol Int 2022;72(1):43-52.

Diffuse large B-cell lymphoma in the course of systemic sarcoidosis: a case report and review of 30 Japanese patients with sarcoidosis-lymphoma syndrome

Matsuo T¹, Notohara K, Okada K², et al.
(¹Okayama University, ²Department of Hematology/Oncology)
J Clin Exp Hematop 2022;62(4):226-237.

Rapidly growing locally advanced non-small cell lung cancer treated with definitive chemoradiotherapy using adaptive volumetric modulated arc therapy followed by durvalumab maintenance: a case report

Sakai K¹, Fujii K¹, Hanazawa H¹, Sakai M¹,
Tsutsumi Y¹, Fukuda Y², Akaike Y,
Notohara K, Itasaka S¹
(¹Department of Radiation Oncology, ²Department of Respiratory Medicine)
Am J Case Rep 2022;23:e934767.

Concordance of the histological diagnosis of type I autoimmune pancreatitis and its distinction from pancreatic ductal adenocarcinoma with endoscopic ultrasound-guided fine needle biopsy specimens: an interobserver agreement study

Notohara K et al.
Virchows Arch 2022;480(3):565-575.

Biopsy diagnosis of type I autoimmune pancreatitis: Does it bring a conclusion or confusion?

Notohara K
DEN Open 2022;2(1):1 of 11-11 of 11.

今月の話題 膵腺房細胞の可塑性とacinar-ductal metaplasia

能登原憲司
病理と臨床 2022;40(10):1041-1045.

【知っておきたい病理の知識】

IgG4関連疾患の病理 頭頸部を中心に
能登原憲司
耳鼻咽喉科 2022;1(5):645-654.

【膵臓の発生・生理・解剖から膵炎・膵癌の病態解明に至る最新の知見】

**膵頭神経叢は膵頭部癌にとって何なのか？ とく
に膵頭神経叢第I部について**
北川裕久¹, 橋田和樹¹, 武藤 純¹, 岡部道雄¹,
仁科慎一², 長久吉雄¹, 横田 満¹, 増井敏彦¹,
河本和幸¹, 能登原憲司
(¹外科, ²腫瘍内科)
胆と膵 2022;43(8):723-730.

【膵臓の発生・生理・解剖から膵炎・膵癌の病態解明に至る最新の知見】

Acinar-ductal metaplasiaの病理学的検討と意義
能登原憲司
胆と膵 2022;43(8):731-735.

【IgG4関連疾患大全—自己免疫性膵炎とIgG4関連硬化性胆管炎を中心に—】

自己免疫性膵炎 自己免疫性膵炎の生検診断 病理の立場から
能登原憲司
胆と膵 2022;43(臨増特大):1145-1150.

プロタミンによる致死肺血管収縮を来し術後早期に呼吸不全で死亡した大動脈弁形成術の1症例

小田亜希子¹, 木村素子¹, 赤池瑠子,
白神 拓², 小宮達彦², 石田和慶¹
(¹麻酔科, ²心臓血管外科)
麻酔 2022;71(11):1205-1210.

子宮体部Undifferentiated carcinoma with rhabdoid featuresの一例

三田佳那¹, 山口大介¹, 原田美香¹, 江崎輝美¹,
西崎凌次¹, 中村香織¹, 小寺明美¹, 香田浩美¹,

板倉淳哉
(¹臨床検査技術部)

岡山県臨床細胞学会誌 2022;40:32-36.

ステロイド内服中に可逆性後頭葉白質脳症を起こした巣状分節性糸球体硬化症の1例

岡部礼恵¹, 綾 邦彦¹, 時岡孝平¹, 服部真也¹,
山本幹太¹, 澤田真理子¹, 内野かおり,
脇 研自¹, 新垣義夫¹ほか
(¹小児科)

日本小児腎臓病学会雑誌 2022;35(2):101-108.

膵頭十二指腸切除術中の門脈遮断による重度腸管鬱血に対し12時間後の二期再建が有効であった1例

上畑恭平¹, 北川裕久¹, 武藤 純¹, 橋田和樹¹,
横田 満¹, 長久吉雄¹, 岡部道雄¹, 赤池瑠子,
能登原憲司, 河本和幸¹
(¹外科)

日本消化器外科学会雑誌 2022;55(12):765-772.

EUS-FNB時代の細胞診の役割

能登原憲司

日本臨床細胞学会中国四国連合会会報 2022;36:87-99.

Autoimmune and IgG4-related pancreatitis

Notohara K et al.

WHO Reporting System for Pancreaticobiliary Cytopathology IAC-IARC-WHO Cytopathology Reporting Systems 1st Edition Volume 2. 4 Diagnostic category: Benign / Negative for malignancy, IAC-IARC-WHO Joint Editorial Board, International Agency for Research on Cancer, 2022, pp 52-54.

Other lesions (including spindle cell tumours)

Notohara K et al.

WHO Reporting System for Pancreaticobiliary Cytopathology IAC-IARC-WHO Cytopathology Reporting Systems 1st Edition Volume 2. 6 Diagnostic category: Malignant, IAC-IARC-WHO Joint Editorial Board, International Agency for Research on Cancer, 2022, pp 163-165.

循環器内科

Comparison of clopidogrel monotherapy after 1 to 2 months of dual antiplatelet therapy with 12 months of dual antiplatelet therapy in patients with acute coronary syndrome: the STOPDAPT-2 ACS randomized clinical trial

Watanabe H¹, Ohya M, Kadota K, et al.
 (¹Kyoto University)
 JAMA Cardiol 2022;7(4):407-417.

CVIT expert consensus document on primary percutaneous coronary intervention (PCI) for acute myocardial infarction (AMI) update 2022

Ozaki Y¹, Kadota K, et al.
 (¹Fujita Health University School of Medicine)
 Cardiovasc Interv Ther 2022;37(1):1-34.

Simultaneous procedure of MitraClip and WATCHMAN implantation in a patient with atrial fibrillation and severe mitral regurgitation: the first case in Japan

Mushiake K, Kubo S, Maruo T, Kadota K
 Cardiovasc Interv Ther 2022;37(1):240-241.

Prospective multicenter registry of hybrid coronary artery revascularization combined with non-saphenous vein graft surgical bypass and percutaneous coronary intervention using everolimus eluting metallic stents (PRIDE-METAL study)

Watanabe Y¹, Fuku Y, Komiya T², et al.
 (¹Teikyo University School of Medicine,
²Department of Cardiovascular Surgery)
 Cardiovasc Interv Ther 2022;37(2):304-311.

Percutaneous coronary intervention for left main coronary artery malperfusion in acute type A aortic dissection

Taguchi Y, Kubo S, Ikuta A, Osakada K,
 Takamatsu M, Takahashi K, Ohya M,
 Shimada T, Miura K, Murai R, Tada T,
 Tanaka H, Fuku Y, Goto T, Komiya T¹,

Kadota K

(¹Department of Cardiovascular Surgery)
 Cardiovasc Interv Ther 2022;37(2):333-342.

Delayed stenosis regression after drug-coated balloon angioplasty for femoropopliteal artery lesions

Shimada T, Shima Y, Takahashi K, Miura K,
 Takamatsu M, Ikuta A, Habara S, Tanaka H,
 Goto T, Kadota K, et al.
 Heart Vessels 2022;37(5):730-737.

Relationship between platelet aggregation and stroke risk after percutaneous coronary intervention: a PENDULUM analysis

Matsumaru Y¹, Kadota K, et al.
 (¹University of Tsukuba)
 Heart Vessels 2022;37(6):942-953.

Trends in prognosis after hospitalization for acute heart failure in Kurashiki Central hospital 2015-2018: single-center prospective study

Kawase Y, Yoshida K, Matsushita S, Tada T,
 Yamamoto H, Katoh H, Kadota K
 Heart Vessels 2022;37(12):2014-2028.

MitraClip treatment of moderate-to-severe and severe mitral regurgitation in high surgical risk patients - real-world 1-year outcomes from Japan

Matsumoto T¹, Kubo S, et al.
 (¹Sendai Kousei Hospital)
 Circ J 2022;86(3):402-411.

Concomitant mitral regurgitation in severe aortic stenosis - a report from the CURRENT AS registry

Murai R, Kawase Y, Kadota K, Ohya M,
 Shimada T, Maruo T, Fuku Y,
 Komiya T¹, et al.
 (¹Department of Cardiovascular Surgery)
 Circ J 2022;86(3):427-437.

JCS/JSCVS 2018 guideline on revascularization

of stable coronary artery disease

Nakamura M¹, Kadota K, Komiya T², et al.
 (¹Toho University Ohashi Medical Center,
²Department of Cardiovascular Surgery)
 Circ J 2022;86(3):477-588.

Bleeding outcomes after percutaneous coronary intervention in the past two decades in Japan - from the CREDO-Kyoto Registry Cohort-2 and Cohort-3

Natsuaki M¹, Tada T, Kadota k, et al.
 (¹Saga University)
 Circ J 2022;86(5):748-759.

Ischemic and bleeding events in PENDULUM patients with high bleeding risk and high platelet reactivity

Iijima R¹, Kadota K, et al.
 (¹Toho University Ohashi Medical Center)
 Circ J 2022;86(5):763-771.

Gastrointestinal and intracranial bleeding events after second-generation drug-eluting stent implantation - their association with high bleeding risk, predictors, and clinical outcomes

Taguchi Y, Miura K, Shima Y, Okabe K,
 Ikuta A, Takahashi K, Osakada K,
 Takamatsu M, Ohya M, Shimada T, Kubo S,
 Tada T, Tanaka H, Fuku Y, Kadota K
 Circ J 2022;86(5):775-783.

Appropriateness of percutaneous coronary intervention performed by Japanese expert operators in patients with chronic total occlusion

Seki T¹, Tokumasu H², Tanaka H,
 Katoh H, et al.
 (¹Kyoto University, ²Clinical Research Center)
 Circ J 2022;86(5):799-807.

Clinical outcomes after percutaneous coronary intervention in East Asian patients - 30-month results of the PENDULUM registry

Kadota K et al.

Circ J 2022;86(9):1339-1349.

Early P2Y₁₂ Inhibitor single antiplatelet therapy for high-bleeding risk patients after stenting -PENDULUM Mono 24-month analysis

Nakagawa Y¹, Kadota K, et al.
 (¹Shiga University of Medical Science)

Circ J 2022;86(9):1352-1361.

Comparison and validation of long-term bleeding events for academic bleeding risk (ARC-HBR) criteria and contemporary risk scores for percutaneous coronary intervention with a second-generation drug eluting stent

Okabe K, Miura K, Shima Y, Ikuta A,
 Taguchi Y, Takahashi K, Osakada K, Ohya M,
 Kubo S, Tada T, Tanaka H, Fuku Y,
 Kadota K

Circ J 2022;86(9):1379-1387.

Starting neurohormonal antagonists in patients with acute heart failure with mid-range and preserved ejection fraction

Seko Y¹, Kawase Y, Kadota K, et al.
 (¹Kyoto University Graduate School of Medicine)

Circ J 2022;86(10):1547-1558.

Iatrogenic atrial septal defect requiring transcatheter closure following transcatheter mitral valve repair

Takaya Y¹, Kubo S, et al.
 (¹Okayama University Graduate School of Medicine)

Circ J 2022;86(11):1740-1744.

Rationale, design, and baseline characteristics of the CURRENT AS Registry-2

Takeji Y¹, Osakada K, Komiya T², et al.
 (¹Kyoto University, ²Department of Cardiovascular Surgery)

Circ J 2022;86(11):1769-1776.

Ischemic and bleeding events after first major bleeding event in patients undergoing coronary stent implantation

Yamamoto K¹, Tada T, et al.

(¹Kyoto University Graduate School of Medicine)

Am J Cardiol 2022;162:13-23.

Coronary artery disease without standard cardiovascular risk factors

Yamamoto K¹, Kadota K, et al.

(¹Kyoto University Graduate School of Medicine)

Am J Cardiol 2022;164:34-43.

Incidence, risk factors, and prognosis of cholesterol crystal Embolism because of percutaneous coronary intervention

Takahashi K, Ohya M, Kubo S, Tada T,

Tanaka H, Fuku Y, Kadota K, et al.

Am J Cardiol 2022;167:15-19.

Impact of timing and treatment strategy on coronary perforation during percutaneous coronary intervention for chronic total occlusion

Miura K¹, Tanaka H, et al.

(¹Fukuyama Cardiovascular Hospital)

Am J Cardiol 2022;172:26-34.

Impact of periprocedural myocardial infarction on 10-year mortality after coronary stent implantation in patients with diabetes mellitus

Katoh H, Ohya M, Kadota K

Am J Cardiol 2022;178:3-10.

Stroke risk stratification with the CHADS₂ score in patients without atrial fibrillation who underwent percutaneous coronary intervention

Obayashi Y¹, Kadota K, et al.

(¹Kyoto University Graduate School of Medi-

cine)

Am J Cardiol 2022;181:9-17.

Ultrathin, biodegradable-polymer sirolimus-eluting stent vs thin, durable-polymer everolimus-eluting stent

Nakamura M¹, Kadota K, et al.

(¹Toho University Ohashi Medical Center)

JACC Cardiovasc Interv 2022;15(13):1324-1334.

Quality indicators in patient referral documents for heart failure in Japan

Kinugasa Y¹, Kadota K, et al.

(¹Tottori University)

Int Heart J 2022;63(2):278-285.

Prevalence, predictors, and outcomes of in-stent restenosis with calcified nodules

Tada T, Miura K, Ikuta A, Ohya M,

Shimada T, Osakada K, Takamatsu M,

Taguchi Y, Kubo S, Tanaka H, Fuku Y,

Kadota K

EuroIntervention 2022;17(16):1352-1361.

Renal cortex thickness and changes in renal function after transcatheter aortic valve implantation

Ikuta A, Ohya M, Kubo S, Osakada K,

Takamatsu M, Takahashi K, Maruo T,

Katoh H, Matsuo T¹, Nakano J¹, Kadota K,

Komiya T¹, Fuku Y

(¹Department of Cardiovascular Surgery)

EuroIntervention 2022;17(17):e1407-e1416.

Prevalence and outcomes of stent thrombosis with in-stent calcified nodules: substudy from the REAL-ST registry

Takahashi Y¹, Ohya M, Kadota K, et al.

(¹Kobe University Graduate School of Medicine)

EuroIntervention 2022;18(9):749-758.

Coronary angiography in patients with acute heart failure: from the KCHF registrySeko Y¹, Kawase Y, Kadota K, et al.¹(Kyoto University Graduate School of Medicine)

ESC Heart Fail 2022;9(1):531-544.

Public assistance in patients with acute heart failure: a report from the KCHF registryNishimoto Y¹, Nishikawa R, Kawase Y, Kadota K, et al.¹(Hyogo Prefectural Amagasaki General Medical Center)

ESC Heart Fail 2022;9(3):1920-1930.

Insomnia in patients with acute heart failure: from the KCHF registrySeko Y¹, Kawase Y, Kadota K, et al.¹(Kyoto University Graduate School of Medicine)

ESC Heart Fail 2022;9(5):2988-2996.

Procedural results and in-hospital outcomes of percutaneous coronary intervention for chronic total occlusion in patients with reduced left ventricular ejection fraction: Sub-analysis of the Japanese CTO-PCI Expert RegistryKobayashi N¹, Tanaka H, et al.¹(Saiseikai Yokohama City Eastern Hospital)

Catheter Cardiovasc Interv 2022;100(1):30-39.

Incidence, predictors, and clinical outcomes of mechanical circulatory support-related complications in patients with cardiogenic shock

Takahashi K, Kubo S, Ikuta A, Osakada K, Takamatsu M, Taguchi Y, Ohya M, Shimada T, Miura K, Tada T, Tanaka H, Fuku Y, Kadota K

J Cardiol 2022;79(2):163-169.

Comparison of original and modified Academic Research Consortium for High Bleeding Risk def-**initions in real-world practice**

Takahashi K, Miura K, Shima Y, Okabe K, Ikuta A, Taguchi Y, Ohya M, Kubo S, Tada T, Tanaka H, Fuku Y, Kadota K

J Cardiol 2022;80(2):155-161.

Feasibility and safety of coronary catheterization with the distal radial approach for hemodialysis patients

Shima Y, Kubo S, Ikuta A, Ohya M, Tada T, Tanaka H, Fuku Y, Kadota K

J Cardiol 2022;80(2):162-166.

Optimal quality of vitamin K antagonist therapy in Japanese patients with venous thromboembolismHiramori S¹, Kadota K, et al.¹(Kokura Memorial Hospital)

J Cardiol 2022;80(5):487-494.

Efficacy of treat-and-repair strategy for atrial septal defect with pulmonary arterial hypertensionTakaya Y¹, Fuku Y, et al.¹(Okayama University Graduate School of Medicine)

Heart 2022;108(5):382-387.

Left atrial reverse remodeling improves risk stratification in patients with heart failure with recovered ejection fractionShiba M¹, Kawase Y, Kadota K, et al.¹(Kyoto University Graduate School of Medicine)

Sci Rep 2022;12(1):4473.

Clinical characteristics, management strategies and outcomes of patients with recurrent venous thromboembolism in the real worldYamashita Y¹, Kadota K, et al.¹(Kyoto University)

Sci Rep 2022;12(1):22437.

Infrequent use of nighttime dialysis for emergency admission due to worsening heart failure in patients on maintenance hemodialysis

Aizawa N¹, Kawase Y, Shimada N², et al.
(¹University of the Ryukyus School of Medicine, ²Department of Nephrology)

Ther Apher Dial 2022;26(1):85-93.

Changes in BNP levels from discharge to 6-month visit predict subsequent outcomes in patients with acute heart failure

Shiba M¹, Kawase Y, Kadota K, et al.
(¹Kyoto University Graduate School of Medicine)

PLoS One 2022;17(1):e0263165.

Appetite loss at discharge from acute decompensated heart failure: Observation from KCHF registry

Yamamoto E¹, Kawase Y, Kadota K, et al.
(¹Kyoto University Graduate School of Medicine)

PLoS One 2022;17(5):e0267327.

Percutaneous coronary intervention using new-generation drug-eluting stents versus coronary arterial bypass grafting in stable patients with multi-vessel coronary artery disease: from the CREDO-Kyoto PCI/CABG registry Cohort-3

Watanabe H¹, Tada T, Komiya T²,
Kadota K, et al.
(¹Japanese Red Cross Wakayama Medical Center, ²Department of Cardiovascular

Surgery)

PLoS One 2022;17(9):e0267906.

Modifiers of the risk of diabetes for long-term outcomes after coronary revascularization: CREDO-Kyoto PCI/CABG registry

Yamaji K¹, Tada T, Komiya T²,
Kadota K, et al.

(¹Kokura Memorial Hospital, ²Department of

Cardiovascular Surgery)

JACC Asia 2022;2(3):294-308.

Risk factors of thrombotic recurrence and major bleeding in patients with intermediate-risk for recurrence of venous thromboembolism

Yamashita Y¹, Amano H, Kadota K, Hata R,
Matsushita K, Osakada K, Sano A, et al.
(¹Kyoto University)

J Thromb Thrombolysis 2022;53(1):182-190.

Periprocedural management and clinical outcomes of invasive procedures after venous thromboembolism: from the COMMAND VTE registry

Hata R, Kadota K, Amano H, Murai R,
Osakada K, Sano A, et al.

J Thromb Thrombolysis 2022;53(2):540-549.

Clopidogrel monotherapy after 1-month dual antiplatelet therapy in percutaneous coronary intervention: from the STOPDAPT-2 total cohort

Obayashi Y¹, Kadota K, et al.
(¹Kyoto University Graduate School of Medicine)

Circ Cardiovasc Interv 2022;15(8):e012004.

Causes of long-term mortality in patients with venous thromboembolism in the real world: from the COMMAND VTE registry

Yamashita Y¹, Kadota K, et al.
(¹Kyoto University)

Thromb Res 2022;219:30-39.

Impact of late lumen loss on clinical outcomes of side-branch bifurcation lesions treated by drug-coated balloon angioplasty with main-branch stenting

Ikuta A, Kubo S, Ohya M, Tada T, Tanaka H,
Fuku Y, Kadota K

Cardiovasc Revasc Med 2022;41:92-98.

Changes in antithrombotic therapy over time

and durability of a prasugrel WOEST-like regimen for percutaneous coronary intervention patients with atrial fibrillation – post hoc analysis of the PENDULUM mono and PENDULUM registries

Nakao K¹, Kadota K, et al.
(¹Saiseikai Kumamoto Hospital)

Circ Rep 2022;4(5):194-204.

Current use of inotropes according to initial blood pressure and peripheral perfusion in the treatment of congestive heart failure: findings from a multicentre observational study

Nagao K¹, Kawase Y, Kadota K, et al.
(¹Osaka Red Cross Hospital)

BMJ Open 2022;12(1):e053254.

Anatomical features of native aortic valves associated with coronary obstruction during balloon-expandable transcatheter aortic valve replacement

Fuku Y, Goto T, Ikuta A, Ohya M, Maruo T, Shimamoto T¹, Komiya T¹, Kadota K
(¹Department of Cardiovascular Surgery)

J Transcatheter Valve Ther 2022;4(1):41-49.

【急性心筋梗塞の至適再灌流療法—病態ごとの治療原則を整理し、次の緊急PCIに備える—】

心筋梗塞に至った各病態のアセスメントと至適なインターベンション ステント血栓症

大家理伸

Coronary Intervention 2022;18(6):65-69.

【備えあれば憂いなし！ 心臓カテーテル検査・治療の重大合併症と回避術】

識る カテーテル検査やPCI時の冠動脈解離・冠動脈穿孔

小坂田皓平, 門田一繁

Heart View 2022;26(5):477-478.

【循環管理のすべて—研修医からの質問443—】

急性心不全 治療 特殊な治療 僧帽弁閉鎖不全

症 (MitraClip)

久保俊介

救急・集中治療 2022;34(1):237-242.

【これで満点！専門施設紹介のための心エコー】

MitraClip紹介のための心エコー

丸尾 健

心エコー 2022;23(5):436-446.

【マンガでわかる！循環器疾患の治療のポイント】

弁膜症×MitraClip カテーテルで弁を直せ！

久保俊介

ハートナーシング 2022;35(2):123-128.

心臓血管外科

Concomitant mitral regurgitation in severe aortic stenosis – a report from the CURRENT AS registry

Murai R¹, Kawase Y¹, Kadota K¹, Ohya M¹, Shimada T¹, Maruo T¹, Fuku Y¹, Komiya T, et al.

(¹Department of Cardiovascular Medicine)

Circ J 2022;86(3):427-437.

Antithrombotic therapy for patients with atrial fibrillation and bioprosthetic valves – real-world data from the multicenter, prospective, observational BPV-AF registry

Izumi C¹, Komiya T, et al.

(¹National Cerebral and Cardiovascular Center)

Circ J 2022;86(3):440-448.

JCS/JSCVS 2018 guideline on revascularization of stable coronary artery disease

Nakamura M¹, Kadota K², Komiya T, et al.

(¹Toho University Ohashi Medical Center,

²Department of Cardiovascular Medicine)

Circ J 2022;86(3):477-588.

Comparison of direct oral anticoagulants and warfarin in patients with atrial fibrillation and

an aortic bioprosthetic valveMiyake M¹, Komiya T, et al.¹Tenri Hospital)

Circ J 2022;86(11):1699-1707.

Rationale, design, and baseline characteristics of the CURRENT AS Registry-2Takeji Y¹, Osakada K², Komiya T, et al.¹Kyoto University, ²Department of Cardiovascular Medicine)

Circ J 2022;86(11):1769-1776.

Five-year outcomes after coronary artery bypass grafting and percutaneous coronary intervention in octogenarians with complex coronary artery diseaseHara H¹, Komiya T, et al.¹Japan Red Cross Society Wakayama Medical Center)

Gen Thorac Cardiovasc Surg 2022;70(5):419-429.

Incidence and risk factors of acute cholecystitis after cardiovascular surgeryKamei J¹, Kuriyama A¹, Shimamoto T,

Komiya T

¹(Emergency and Critical Care Center)

Gen Thorac Cardiovasc Surg 2022;70(7):611-618.

Multicenter randomized study evaluating the outcome of ganglionated plexi ablation in maze procedureSakamoto SI¹, Komiya T, et al.¹Nippon Medical School)

Gen Thorac Cardiovasc Surg 2022;70(10):908-915.

A nationwide survey of surgical treatment for severe ischemic mitral regurgitationMasuzawa A¹, Komiya T, et al.¹The Jikei University School of Medicine)

Ann Thorac Cardiovasc Surg 2022;28(1):56-62.

Renal cortex thickness and changes in renal**function after transcatheter aortic valve implantation**Ikuta A¹, Ohya M¹, Kubo S¹, Osakada K¹,Takamatsu M¹, Takahashi K¹, Maruo T¹,Katoh H¹, Matsuo T, Nakano J, Kadota K¹,Komiya T, Fuku Y¹¹(Department of Cardiovascular Medicine)

EuroIntervention 2022;17(17):e1407-e1416.

Early and midterm outcomes of “no-touch” saphenous vein grafts in Japanese institutions

Tsuneyoshi H, Setozaki S, Katayama H,

Wada T, Shimomura S, Takeuchi A,

Sugaya A, Komiya T

Braz J Cardiovasc Surg 2022;37(Spec1):42-48.

Evaluations for surrounding tissue incorporation after implantation of synthetic vascular prostheses in animal modelsFujiwara Y¹, Hirao S, et al.¹Kyoto University)

J Artif Organs 2022;25(1):24-33.

Modifiers of the risk of diabetes for long-term outcomes after coronary revascularization: CREDO-Kyoto PCI/CABG registryYamaji K¹, Tada T², Komiya T,Kadota K², et al.¹Kokura Memorial Hospital, ²Department of Cardiovascular Medicine)

JACC Asia 2022;2(3):294-308.

Prospective multicenter registry of hybrid coronary artery revascularization combined with non-saphenous vein graft surgical bypass and percutaneous coronary intervention using everolimus eluting metallic stents (PRIDE-METAL study)Watanabe Y¹, Fuku Y², Komiya T, et al.¹Teikyo University School of Medicine,²Department of Cardiovascular Medicine)

Cardiovasc Interv Ther 2022;37(2):304-311.

Percutaneous coronary intervention for left main coronary artery malperfusion in acute type A aortic dissection

Taguchi Y¹, Kubo S¹, Ikuta A¹, Osakada K¹, Takamatsu M¹, Takahashi K¹, Ohya M¹, Shimada T¹, Miura K¹, Murai R¹, Tada T¹, Tanaka H¹, Fuku Y¹, Goto T¹, Komiya T, Kadota K¹

(¹Department of Cardiovascular Medicine)

Cardiovasc Interv Ther 2022;37(2):333-342.

Percutaneous coronary intervention using new-generation drug-eluting stents versus coronary arterial bypass grafting in stable patients with multi-vessel coronary artery disease: from the CREDO-Kyoto PCI/CABG registry Cohort-3

Watanabe H¹, Tada T², Komiya T, Kadota K², et al.

(¹Japanese Red Cross Wakayama Medical Center, ²Department of Cardiovascular Medicine)

PLoS One 2022;17(9):e0267906.

Anatomical features of native aortic valves associated with coronary obstruction during balloon-expandable transcatheter aortic valve replacement

Fuku Y¹, Goto T¹, Ikuta A¹, Ohya M¹, Maruo T¹, Shimamoto T, Komiya T, Kadota K¹

(¹Department of Cardiovascular Medicine)

J Transcatheter Valve Ther 2022;4(1):41-49.

Saphenous Vein Graft: No-touch Technique

Komiya T

J J Coron Artery Dis 2022;28(3):42-46.

僧帽弁置換術の基本

小宮達彦

日本心臓血管外科学会雑誌 2022;51(6):li-liii.

プロタミンによる致死的肺血管収縮を来し術後早

期に呼吸不全で死亡した大動脈弁形成術の1症例

小田亜希子¹, 木村素子¹, 赤池瑤子², 白神 拓, 小宮達彦, 石田和慶¹

(¹麻酔科, ²病理診断科)

麻酔 2022;71(11):1205-1210.

左室駆出率低下を伴う無症候性重症大動脈弁狭窄症

小宮達彦ほか

弁膜症診療ガイド この症例をどうする? 日本循環器学会ほか編, ライフサイエンス出版, 2022, pp 64-66.

経過観察中に超重症に進行した無症候性重症大動脈狭窄症

小宮達彦

弁膜症診療ガイド この症例をどうする? 日本循環器学会ほか編, ライフサイエンス出版, 2022, pp 67-70.

大動脈弁置換術: Non-everting法のコツ

小宮達彦

心臓血管外科手術基本手技. 第二章 弁膜症, 坂東興編, 中山書店, 2022, pp 144-150.

遺伝診療部

Genome analysis in sick neonates and infants: high-yield phenotypes and contribution of small copy number variations

Suzuki H¹, Ninomiya S, et al.

(¹Keio University School of Medicine)

J Pediatr 2022;244:38-48.

医師教育研修部

Poor vaccine responsiveness towards third-dose mRNA vaccine of COVID-19 in Japanese older people

Hagiya H¹, Asada M, et al.

(¹Okayama University Graduate School of Medicine)

J Infect 2022;85(4):436-480.

オキサリプラチンによる肝類洞閉塞症候群 臨床像と病理像の対比

長濱俊介, 上野真行¹, 寺田和弘¹, 萱原隆久¹,

- 高島弘行¹, 守本洋一¹, 水野元夫¹
(¹消化器内科)
肝臓 2022;63(8):372-380.
- 著明な高トリグリセリド血症により重症急性膵炎を
発症したが、母児ともに救命し得た双胎妊婦の一例**
福田真優, 上野真行¹, 中村しほり²,
村部浩之³, 羽田綾子¹, 清輔良江¹, 石田悦嗣¹,
水野元夫¹
(¹消化器内科, ²産婦人科, ³内分泌代謝・リウ
マチ内科)
肝臓 2022;37(2):67-73.
- 小児の閉塞性睡眠時無呼吸症候群に対するアデノ
イド口蓋扁桃摘出術の臨床的検討**
山本 周, 鶴田智士¹, 伊木健浩², 榊田 翠³,
徳増智子³
(¹耳鼻咽喉科, ²頭頸部外科, ³小児科)
倉敷中央病院年報 2022;84:63-70.
- 放射性ヨウ素内用療法を施行した小児バセドウ病
の1例**
石黒太郎, 澤井瑠一¹, 服部真也², 細川悠紀²,
横田敏彦¹, 村部浩之¹
(¹内分泌代謝・リウマチ内科, ²小児科)
倉敷中央病院年報 2022;84:71-75
- 播種性血管内凝固症候群を合併した非小細胞肺癌
多発脳転移により死亡した1例**
奥田康夫, 本倉優美¹, 横山俊秀¹
(¹呼吸器内科)
倉敷中央病院年報 2022;84:77-80.
- ベムプロリズマブ投与早期に免疫関連有害事象と
しての大腸炎を発症した1例**
唐井美佳, 百瀬 匡¹, 横山俊秀¹
(¹呼吸器内科)
倉敷中央病院年報 2022;84:81-84
- 膵中枢障害を伴う中枢性尿崩症を背景とした著明
な高ナトリウム血症の1例**
國澤久路, 井上愛子¹, 浜松圭太¹
(¹内分泌代謝・リウマチ内科)
倉敷中央病院年報 2022;84:85-89.
- 肺癌術後の間質性肺炎の急性増悪に対しステロイ
ドパルス療法が奏効した1例**
高田正浩, 吉田将和¹, 青野泰正¹, 奥村典仁¹
(¹呼吸器外科)
倉敷中央病院年報 2022;84:91-94.
- ソナゾイド造影超音波検査で診断し得た外傷性膵
仮性嚢胞の1例**
田邊真央, 吉田周平¹, 土井悠司¹, 小野貴史²
(¹小児科, ²放射線診断科)
倉敷中央病院年報 2022;84:95-99
- 股関節腔内への炎症波及の有無の判断に苦慮した
新生児化膿性筋炎の1例**
谷村麻衣, 吉田周平¹, 荻野佳代¹
(¹小児科)
倉敷中央病院年報 2022;84:101-103.
- 妊娠中に発症した重症潰瘍性大腸炎の1例**
土田菜央, 戸川文子¹, 下立雄一¹, 水野元夫¹
(¹消化器内科)
倉敷中央病院年報 2022;84:105-110.
- 抗PD-L1抗体による肺癌治療後に1型糖尿病を発症
した1例**
橋本紳太郎, 岡内省三¹, 亀井信二¹
(¹糖尿病内科)
倉敷中央病院年報 2022;84:111-116.
- ステントグラフト感染から化膿性脊椎炎となった1例**
畑中柚花, 上田敦志¹
(¹血液内科)
倉敷中央病院年報 2022;84:117-120.
- 若年女性に壊血病を来した1例**
坂東岳人, 國永直樹¹
(¹総合診療科)
倉敷中央病院年報 2022;84:121-125.

QT延長症候群の関与が疑われた若年女性心停止の1例

松崎香子, 岡部浩哉¹, 田坂浩嗣¹
(¹循環器内科)

倉敷中央病院年報 2022;84:127-131.

早期診断・治療介入が運動機能改善に奏効した小児の急性弛緩性脊髄炎の1例

三好 凱, 吉田周平¹, 土井悠司¹
(¹小児科)

倉敷中央病院年報 2022;84:133-137.

高流量バイパス術を併用した後交通動脈起始部動脈瘤に対する治療

横地泰徳, 金子亮介¹, 黒崎義隆¹,
紀之定昌則¹, 沈 正樹¹
(¹脳神経外科)

倉敷中央病院年報 2022;84:139-144.

薬剤性肝障害との鑑別に肝生検が有用であった高齢発症自己免疫性肝炎の1例

吉河 崇, 上野真行¹, 高島弘行¹, 守本洋一¹,
水野元夫¹
(¹消化器内科)

倉敷中央病院年報 2022;84:145-151.

看護部門

【新時代を切り開く看護の未来】看護と夜間労働

高村洋子

看護技術 2022;68(14):1389-1393.

【Q&Aで学ぶ 嚥下・口腔・栄養 脳卒中患者の“食べる”を支えるケア】(第1章)

脳卒中と嚥下 食事中・食後のポジショニングはどのようにしたらよい？

高岡将治

Brain Nursing 2022;38(6):796-797.

【Q&Aで学ぶ 嚥下・口腔・栄養 脳卒中患者の“食べる”を支えるケア】(第1章)

脳卒中と嚥下 食事に集中できないときの工夫は？

高岡将治

Brain Nursing 2022;38(6):798-799.

【Q&Aで学ぶ 嚥下・口腔・栄養 脳卒中患者の“食べる”を支えるケア】(第1章)

脳卒中と嚥下 箸やスプーン, コップが使えない失行患者の介助方法は？

高岡将治

Brain Nursing 2022;38(6):800-801.

【Q&Aで学ぶ 嚥下・口腔・栄養 脳卒中患者の“食べる”を支えるケア】(第1章)

脳卒中と嚥下 ごはんを半分食べ残している. 半側空間無視患者の介助方法は？

高岡将治

Brain Nursing 2022;38(6):802-803.

【臨床場面における倫理的なモヤモヤを考える】

小児看護の現場における“モヤモヤ” コロナ禍における日常的なケア 感染予防と子どもの権利

森貞敦子

小児看護 2022;45(7):817-822.

【イラストでわかる透析療法・ケアのきほん 新人スタッフ応援号!透析業務・患者観察・支援 キーワード68】

患者指導・支援にまつわるキーワード「体重増加量の調整」についてどう伝えれば誤解なく伝わるの？

戎谷典子

透析ケア 2022;28(5):448-451.

【周術期の多職種連携】

周術期管理チームにおける看護師の役割

山本千恵

臨床麻酔 2022;46(3):417-420.

【医師・歯科医師のタスク・シフトシェアと医療放射線安全】

タスクシフトと医療放射線の安全利用 核医学診療部門における看護師の役割 当院での現状と取り組み

原田貴子

医療放射線防護Newsletter 2022;87:26-31.

術前・術後のアセスメントとケア

植田優子

NEWはじめての手術看護. 2章 術前・術後のアセスメントとケア, 武田知子編, メディカ出版, 2022, pp 29-55.

第5章 運営

北別府孝輔

看護教育担当者に必要な教える技術. 政岡祐輝ほか著, 日総研, 2022, pp 151-178.

Cocco mina 消化器

倉敷中央病院消化器センター編著, 照林社, 2022, pp 1-208.

薬剤部門

第2章・消化器疾患 C型肝炎

高柳和伸

調剤と情報 2022;28(14):63-71.

【処方意図がわかる！外来でよくみる29疾患の最新ガイドライン虎の巻】(第2章)

消化器疾患 C型肝炎

高柳和伸

調剤と情報 2022;28(14):2387-2395.

医薬品情報管理におけるデジタルツール活用とデータ利用の実践 医薬品情報管理体制に関する事例 倉敷中央病院及び岡山県病院薬剤師会

赤木晋介, 高柳和伸

薬事新報 2022;3274:11-15.

放射線技術部

Guidelines for standardization of myocardial perfusion SPECT imaging 1.0

Aoki T¹, Nagaki A, et al.

(¹Kariya Toyota General Hospital)

Ann Nucl Cardiol 2022;8(1):91-102.

Toward automatic reformation at the orbital line in head computed tomography using object detection algorithm

Ichikawa S, Itadani H, et al.

Phys Eng Sci Med 2022;45(3):835-845.

Feasibility of ultra-high-speed acquisition in xSPECT bone algorithm: a phantom study with advanced bone SPECT-specific phantom

Ichikawa H¹, Nagaki A, et al.

(¹Toyohashi Municipal Hospital)

Ann Nucl Med 2022;36(2):183-190.

Multi-institutional study of end-to-end dose delivery quality assurance testing for image-guided brachytherapy using a gel dosimeter

Tachibana H¹, Kondo K, et al.

(¹National Cancer Center Hospital East)

Brachytherapy 2022;21(6):956-967.

Validation of pencil beam scanning proton therapy with multi-leaf collimator calculated by a commercial Monte Carlo dose engine

Tominaga Y¹, Miyata J, et al.

(¹Osaka Proton Therapy Clinic)

J Appl Clin Med Phys 2022;23(12):e13817.

学術調査研究班報告 わが国の小児CTで患児が受ける線量の実態調査(2018)

竹井泰孝¹, 福永正明ほか

(¹川崎医療福祉大学)

日本放射線技術学会雑誌 2022;78(4):372-380.

線量管理における体幹部X線CTプロトコル再構築

山口雄貴, 福永正明, 光井英樹, 長木昭男,

伊藤 修, 山本浩之, 川上雄司, 渡辺大輝

日本放射線技術学会雑誌 2022;78(10):1149-1157.

低線量肺がんCT検診における異なる自動臓器線量推定ソフトウェアを用いた臓器線量と実効線量

福永正明, 山口雄貴ほか

日本放射線技術学会雑誌 2022;78(10):1176-1186.

X線CT検査における診療用放射線に関わる安全管理

福永正明

日本CT技術学会雑誌 2022;10(2):8-13.

健診施設における骨粗鬆症スクリーニングと多職

種連携による早期治療介入への取り組み

亀井山弘晃, 高越浩一, 山本和幸, 中川佳奈¹,
尾山満美子¹, 秋田裕美², 松下 睦³
(¹予防医療プラザ, ²栄養管理室, ³役員)

日本骨粗鬆症学会雑誌 2022;8(1):82-84.

医療情報担当者に役立つチェックリスト PACS更新編

板谷英樹

JART 2022;69(3):305-310.

リハビリテーション部**COVID-19患者における隔離解除時および退院後の酸素療法必要性に関する調査**

倉田和範, 沖 圭祐, 馬井孝徳, 継田晃平,
松田雄介, 永田幸生

日本呼吸ケア・リハビリテーション学会誌 2022;31(1):
117-121.

臨床検査技術部**つなげるつながらる MORE for HEART nurse
検査の知識を看護につなげる もう説明に困らない!
そのまま使える 循環器の画像検査プロフ帳 経胸壁
心エコー**

玉利利奈

ハートナーシング 2022;35(4):368-370.

**つなげる・つながらる 検査の知識を看護につなげる
もう説明に困らない!そのまま使える循環器の画像検査
プロフ帳 経食道心エコー検査**

玉井利奈

ハートナーシング 2022;35(10):969-971.

**WITHコロナにおける検査室の感染対策 超音波
検査関連における感染対策**

筑地日出文

臨床検査 2022;66(6):770-774.

**当院で経験したUS-3500における尿糖異常発色フラ
グについての検討**

小幡奏子, 馬渕邦子, 石橋直美, 絹田陽子,
赤石 優

医学検査 2022;71(3):436-442.

**子宮体部Undifferentiated carcinoma with rhab-
doid featuresの一例**

三田佳那, 山口大介, 原田美香, 江崎輝美,
西崎凌次, 中村香織, 小寺明美, 香田浩美,
板倉淳哉¹

(¹病理診断科)

岡山県臨床細胞学会誌 2022;40:32-36.

役員**Impact of thickened liquids on laryngeal move-
ment velocity in patients with dysphagia**

Nakao Y¹, Haji T, et al.

(¹Hyogo College of Medicine College Hospital)

Dysphagia 2022;37(1):207-215.

**Validation of cepstral acoustic analysis for
normal and pathological voice in the Japanese
language**

Mizuta M¹, Abe C², Taguchi E², Takeue T²,
Tamaki H¹, Haji T

(¹Department of Otolaryngology, Head and
Neck Surgery, ²Department of Rehabilitation
Therapy)

J Voice 2022;36(6):770-776.

**健診施設における骨粗鬆症スクリーニングと多職
種連携による早期治療介入への取り組み**

亀井山弘晃¹, 高越浩一¹, 山本和幸¹,
中川佳奈², 尾山満美子², 秋田裕美³,
松下 睦

(¹放射線技術部, ²予防医療プラザ, ³栄養管理
室)

日本骨粗鬆症学会雑誌 2022;8(1):82-84.

医療支援・経営管理部門**仕事の効率化を図る【IT編】ITを有効に活用して
医療従事者の働き方を変える】これからは地域のIT
最適化が目標**

藤川敏行

医事業務 2022;29(618):10-15.

健診施設における骨粗鬆症スクリーニングと多職種連携による早期治療介入への取り組み

亀井山弘晃¹, 高越浩一¹, 山本和幸¹,
中川佳奈², 尾山満美子², 秋田裕美,
松下 睦³

(¹放射線技術部, ²予防医療プラザ, ³役員)

日本骨粗鬆症学会雑誌 2022;8(1):82-84.

血液治療センター

血液製剤依頼と患者への投与指示の2段階機能を有する輸血準備オーダーの構築

岡田和也, 加塩奈美, 平尾 進, 山田奈美,
津郷幸子, 加藤祥子, 石田涼子, 藪田吉弘,
村田真由美, 岩崎真子, 上田恭典

日本輸血細胞治療学会誌 2022;68(3):445-448.

IV 末梢血幹細胞採取

村田真由美

学会認定・アフエレーシスナース制度指定カリキュラム. 2. 末梢血幹細胞採取の実際, 学会認定・アフエレーシスナース制度カリキュラム委員会編, 一般社団法人 日本輸血・細胞治療学会, 2022, pp 33-42.

臨床医学研究所

Correlation of scoring systems with the requirement of an external ventricular drain in intraventricular hemorrhage

Maki Y¹, Ishibashi R¹, Yasuda T¹,
Tokumasu H, Yamamoto Y, Yamashita H¹,
Morita T¹, Ikeda H¹, Chin M¹,
Yamagata S¹, et al.

(¹Department of Neurosurgery and Stroke)

World Neurosurg 2022;163:e532-e538.

Ultrasound-guided lung biopsy with coaxial technique: pleural contact length affects the occurrence of pneumothorax after first puncture

Imamine R¹, Yamamoto Y, et al.

(¹Department of Diagnostic Radiology)

Jpn J Radiol 2022;40(4):404-411.

Appropriateness of percutaneous coronary in-

tervention performed by Japanese expert operators in patients with chronic total occlusion

Seki T¹, Tokumasu H, Tanaka H²,
Katoh H², et al.

(¹Kyoto University, ²Department of Cardiovascular Medicine)

Circ J 2022;86(5):799-807.

Association between antiulcer agents and Clostridioides difficile infection in patients receiving antibiotics: a retrospective cohort study using the diagnosis procedure combination database in Japan

Ishida R et al.

Anaerobe 2022;75:102537.

Accuracy of algorithms to identify patients with a diagnosis of major cancers and cancer-related adverse events in an administrative database: a validation study in an acute care hospital in Japan

Fujiwara T, Iwasaku M, Tokumasu H, et al.

BMJ Open 2022;12(7):e055459.

Intratympanic corticosteroid for Bell's palsy and Ramsay Hunt syndrome: systematic review and meta-analysis

Fujiwara T et al.

Auris · Nasus · Larynx 2022;49(4):599-605.

Do age-related differences in the incidence of mumps deafness reflect a true difference or a misclassification of mumps deafness?

Fujiwara T et al.

J Epidemiol 2022;32(1-2):53-54.

【臨床研究】創薬研究 まずは治験について学んでみる

徳増裕宣

Intensivist 2022;14(3):543-549.

浸水害発生を想定した直前対応も含めた災害対応マニュアルの作成

天野佳美, 中川英子, 徳増裕宣

薬理と治療 2022;50(3):314-317.

倉敷中央病院リバーサイド

食事による血中カリウム値への影響 食後の一過性の変化について

中川裕美

臨床栄養 2022;141(5):653-655.

病院経営の質向上と次世代を読む新たな取り組み
中小規模病院の経営の今とこれから 高度急性期
病院の地域連携の経験を踏まえて

十河浩史

JHAC 2022;28(1):75-81.

Think Globally, Act Locally 地域視点で着想
する医療 (第28回)「地域連携の拡大期 (その2)」

十河浩史

医事業務 2022;29(619):44-46.

Think Globally, Act Locally 地域視点で着想
する医療 (第29回)「地域連携の拡大期 県内連携ネット
ワーク」

十河浩史

医事業務 2022;29(621):46-48.

「わたしたちのおもい」 医オン研の芽吹き
(第9回) ゼロからはじめる学会発表 (その3) 伝わ
らなければ意味ないじゃん? 発表編

十河浩史ほか

医事業務 2022;29(622):48-50.

Think Globally, Act Locally 地域視点で着想
する医療 (第30回) 診療報酬と地域連携

十河浩史

医事業務 2022;29(623):38-40.

Think Globally, Act Locally 地域視点で着想
する医療 (第31回)「地域連携にかかわる診療報酬」

十河浩史

医事業務 2022;29(625):56-58.

Think Globally, Act Locally 地域視点で着想

する医療 (第32回)「地域連携のデータ」

十河浩史

医事業務 2022;29(627):52-54.

Think Globally, Act Locally (第33回)「見えや
すいものと見え難いものの価値」

十河浩史

医事業務 2022;29(629):50-52.

「わたしたちのおもい」 医オン研の芽吹き (第13
回) 情報交換会 院内の多部署・事務職を理解する

十河浩史

医事業務 2022;29(631):46-48.

Think Globally, Act Locally 地域視点で着想
する医療 (第34回) 予測とリアル

十河浩史

医事業務 2022;29(632):54-56.

Think Globally, Act Locally 地域視点で着想
する医療 (第35回)「オンラインと対面」

十河浩史

医事業務 2022;29(634):54-56.

Think Globally, Act Locally 地域視点で着想
する医療 (第36回) 事務力

十河浩史

医事業務 2022;29(636):54-56.

Think Globally, Act Locally 地域視点で着想
する医療 (第37回)「個性と現場」

十河浩史

医事業務 2022;29(638):58-60.

中小規模病院の経営の今とこれから 高度急性期
病院の地域連携の経験を踏まえて

十河浩史

病院羅針盤 2022;13(220):30-35.

予防医療プラザ

Circulating GPIIb/IIIa levels and microvascular
complications in patients with type 2 diabetes: a

cross-sectional study

Kurooka N¹, Murakami K², Kamei S²,
Kikutsuji T, et al.

(¹Okayama University Graduate School of
Medicine, ²Department of Diabetology)

J Clin Lipidol 2022;16(2):237-245.

A key feature of atypical cells in urinary sediment for urothelial carcinoma screening

Yugari K, Wada T, Bunya C, Nagase M,
Kikutsuji T

Ningen Dock Internationa 2022;9(1):22-26.

健診施設における骨粗鬆症スクリーニングと多職種連携による早期治療介入への取り組み

亀井山弘晃¹, 高越浩一¹, 山本和幸¹,
中川佳奈, 尾山満美子, 秋田裕美²,
松下 睦³

(¹放射線技術部, ²栄養管理室, ³役員)

日本骨粗鬆症学会雑誌 2022;8(1):82-84.